

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[5022643](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



Extract from the online catalog

## AP 3 METER

Order No.: 5022643

The illustration shows a combination of versions AP 3-TNS 32 and AP 3-TNS 35



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022643>

Cover profile, for covering terminal strips, snaps onto cover profile carrier AP 3-TU, AP 3-TNS 35, can be marked with insert strip AP-ES. Cover profile carriers should be placed at the ends and at intervals of approx. 40 cm. Length: 1 m

### Commercial data

EAN	4017918095246
Pack	1 pcs.
Customs tariff	39162000
Weight/Piece	0.40 KG

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Length (b)	93.5 mm
Height	44.5 mm
Width (a)	1 m

AP 3 METER Order No.: 5022643

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022643>

---

Color	transparent
Ambient temperature (operation)	-15 °C ... 65 °C
Material	PVC

AP 3 METER Order No.: 5022643

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022643>

---

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;