

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0887329302](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



887329302	USB 28#/22#	3340+0/-50	887808229	887800019
887329002	USB 28#/28#	820+0/-30	887808218	887800019
887329220	USB 28#/24#	2090+0/-40	887808234	887800043
887329120	USB 28#/24#	1320±25	887808238	887800043
887329020	USB 28#/24#	820±15	887808243	887800043
887329402	USB 28#/20#	5010+0/-80	887808230	887800019
887329202	USB 28#/24#	2090+0/-40	887808239	887800019
887329102	USB 28#/26#	1320+0/-30	887808228	887800019
887328102	USB 28#/24#	1800+0/-30	887808239	887800019
887328100	USB 28#/24#	1800+0/-30	887808238	887800043
887328000	USB 28#/26 #	1000+0/-30	887808204	887800043
887328002	USB 28#/26#	1000+0/-30	887808228	887800019
MOLEX P/N	DESCRIPTION	LENGTH	CABLE P/N	PVC P/N

ENTER DESCRIPTION EC NO: DG2006-0163 DRAWN: PDAI CHKD: TIAN APPR: TIAN 2006/01/20 2006/01/20 2006/01/20			QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY	DATE	TITLE USB A-B CABLE ASSY		
				4 PLACES	±---	±---	XHLEI	2006/01/20			
				3 PLACES	±---	±---	CHECKED BY	DATE			
		2 PLACES	±---	±---	ZXDENG	2006/01/20	MOLEX INCORPORATED				
		1 PLACE	±---	±---	APPROVED BY	DATE					
		ANGULAR ±---°		BORON	2006/01/20	DOCUMENT NO.		SHEET NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-88732-002		1 OF 2			
				SIZE A4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

NOTE:1

1.MOLDED WITH PVC RESIN P/N:SEE TABLE

2.ELECTRICAL PERFORMANCE:

- 2.1 DIELECTRIC STRENGTH
- 2.2 INSULATION RESISTANCE
- 2.3 CONDUCTIVE RESISTANCE
- 2.4 CABLE IMPEDANCE
- 2.5 ATTENUATION
- 2.6 PROPAGATION DELAY
- 2.7 SIGNAL PAIR SKEW

REFER TO ES-003 ELECTRICAL SPECIFICATION FOR DETAILS

3.THIS PRODUCT MUST MEET MX RoHS COMPLIANCE.

			J	COPPER FOIL 877801083		2
			H	TERMINAL		8
			G	HOUSING 887809085		1
SHELL	BRAID WIRE	SHELL	F	REAL SHELL 887809082		1
4	AWG26 BLACK	4	E	FRONT SHELL 887809081		1
3	AWG28 GREEN	3	D	USB CABLE SEE TABLE		
2	AWG28 WHITE	2	C	REAR SHELL 887809084		1
1	AWG26 RED	1	B	FRONT SHELL 887809083		1
P1	WIRE COLOR	P2	A	CRIMP HOUSING 887809086		1
PIN ASSIGNMENTS			ITEM	DESCRIPTION	L	QTY.

ENTER DESCRIPTION EC NO: DG2006-0163 DRAWN: PDAI CHKD: APPR: IKAN REV		DESCRIPTION 2006/01/20 2006/01/20 2006/01/20	QUALITY SYMBOLS ▽=0 ▽/▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
						DRAWN BY	DATE	TITLE USB A-B CABLE ASSY				
						CHECKED BY	DATE					
				4 PLACES ±--- ±---		2006/01/20		MOLEX INCORPORATED				
				3 PLACES ±--- ±---		2006/01/20						
				2 PLACES ±--- ±---		2006/01/20						
1 PLACE ±--- ±---		2006/01/20		MATERIAL NO. SEE TABLE DOCUMENT NO. SD-88732-002 SHEET NO. 2 OF 2								
ANGULAR ±---°		2006/01/20										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SIZE A4		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						