

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 1301040024

For any questions, you can email us directly: <u>sales@integrated-circuit.com</u>



**Distributor of Molex Connector Corporation: Excellent Integrated System Limited** Datasheet of 1301040024 - FLUORESC LAMP W/100 14/3 & 1407 Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

## one company > a world of innovation

This document was generated on 07/06/2016 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION			
Part Number:	<u>1301040024</u>		0
Status:	Active		6
Overview:	Specialty Lighting		
Description: Haztex® Hazardous Location 26W with 12		cation 26W with 12V Fluorescent Hand Lamp for Use With Low /3 SOOW Cord Type, Cord Length 30.48m (100.0')	
Documents: RoHS Certificate of Co	ompliance (PDF)	Product Literature (PDF)	
Agency Certification			
CSA		LR39801	Series image - Reference only
UL		E30252	
General			EU ELV Not Reviewed
Product Family		Portable Lighting	
Series		130104	EU RoHS China RoHS
Comments		Class I, Division 1, Groups C and D (flammable gases	Not Reviewed
		and vapors); Class II, Division I, Groups F and G	REACH SVHC
		(ignitable dust); Class I, Zone 1, Group IIB (UL)	Not Reviewed
NEMA Configuration		Non-NEMA	Halogen-Free
Outlet		None	<u>Status</u>
Overview		Specialty Lighting	Not Reviewed
Product Literature Order No		987650-8052	Need more information on product
Product Name		Haztex®	environmental compliance?
Туре		Hand Lamps, Specialty Light	
UPC		78678805475	Email productcompliance@molex.com
Woodhead		Yes	Please visit the <u>Contact Us</u> section for any non-product compliance questions.
Physical			China ROHS Not Reviewed
Cord Length - Primary		30.48m (100.0')	ELV Not Reviewed
Cord Length - Seconda	ary	N/A	
Depth		100.08mm (3.940")	
Duty		Hazardous	
Guard Included		No	Search Parts in this Series
Guard Type		N/A	<u>130104</u> Series
Height		482.60mm (19.000")	,
Length		N/A	
Material - Globe		Tempered Soda-Lime Glass	
Material - Guard		Cast Aluminum	
Mounting Style		Hand Held	
Packaging Type		Carton	
Socket Construction		N/A	
Flootrical			
Electrical		Eluoroccont	
Bulb Type		Fluorescent	
Cord Type - Primary		14/3 SOOW	
Lamp Type	0.170	PL-C 26/41/4P	
Lamp Wattage - Maxin	num	26W	
Lumens		1800	
On/Off Switch		No	
Voltage (Fixture) - Max	kimum	120VAC 60 HZ	
Material Info Old Part Number		1090-HZ12D143	

This document was generated on 07/06/2016



**Distributor of Molex Connector Corporation: Excellent Integrated System Limited** Datasheet of 1301040024 - FLUORESC LAMP W/100 14/3 & 1407 Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION