

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0334821202](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

TABLE OF CONTENTS	
SHEET NO.	SHEET DESCRIPTION
1	NOTES AND BOM
2	CONFIGURATIONS
3-4	KEY CONFIGURATIONS
5	BLADE SEALED ASSEMBLY
6	SYSTEM PACKAGING
7	BACKSHELL NOTES
8	BACKSHELL
9	BACKSHELL CONFIGURATIONS

NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:
a. APPLICATION SPECIFICATION SEE: AS-33472-100
-CONTAINS: PRODUCT INTRODUCTION, PRODUCT SUMMARY, CONNECTOR ASSEMBLY, PACKAGING INFORMATION, CONNECTOR MATING, SERVICE INSTRUCTIONS, ELECTRICAL CONTINUITY CHECKING, CRIMPING, AND TROUBLESHOOTING.
-DESIGNED TO MATE WITH RECEPTACLE SEALED ASSEMBLY AS SPECIFIED IN THE MATING CONNECTOR DRAWINGS CHART.
-DENOTES DRAWINGS THAT CAN BE ACCESSED AT <http://ewcap.uscar.tecoms.org/>.
-ASSEMBLY SHIPPED WITH PLR IN PRE-LOCK POSITION (SEE PLR PRE-LOCK VIEW SHEET 5).

b. PRODUCT SPECIFICATION SEE:
-STANDARD CONFIGURATION: PS-33472-000
-UL VO CONFIGURATION: TBD
CONTAINS: PRODUCT INTRODUCTION, PRODUCT SUMMARY, RATINGS (CURRENT, TEMPERATURE, SEALING, AND FLAMMABILITY), TERMINALS, WIRE DIAMETER RANGE, PRODUCT VALIDATION, AND PRODUCT DEVIATIONS.

c. PACKAGING SPECIFICATION PER MOLEX DRAWINGS PK-31500-635

d. PARTS MUST BE IN COMPLIANCE TO MOLEX CHEMICAL SUBSTANCES FOR PRODUCTS AND PACKAGING SPECIFICATION: DEHS-699000-300



e. DATA MUST BE SUBMITTED UNDER THE MOLEX PART NUMBER TO IMDS (COMPANY ID#13255)

2. DESIGN - MATERIALS:
a. FOR BILL OF MATERIALS SEE:
-STANDARD CONFIGURATION: SD-33482-0002
-UL VO CONFIGURATION: SD-160084-0002

3. DESIGN - GEOMETRY:
a. THE 3-D CAD DATA IS BASIC (WITHOUT TOLERANCE) AND MASTER FOR THIS PART WITH THE EXCEPTION OF UNDERLINED DIMENSIONS. DIMENSIONAL INFORMATION NOT SHOWN ON THIS DRAWING IS DEFINED BY THE DATA FILE AT ITS LATEST REVISION.
b. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5M-2009
c. EDGES AND UNDIMENSIONED DETAILS PER ISO9715
d. CORNERS SHOWN AS SHARP TO BE R 0.2 MAX.
e. LETTERING SHALL BE 0.15 MAX RAISED IN 0.25 MAX RECESS PAD. THIS INCLUDES RECYCLING CODE, CAVITY ID, VENDOR IDENTIFICATION, AND CUSTOMER MATERIAL NUMBER.
f. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B).

g. LASER MARKING:
1. PART NUMBER
2. DAY OF THE YEAR
3. SHIFT
4. YEAR
FOR ADDITIONAL INFORMATION SEE SECTION 5 UNDER PROCEDURES IN ES-34735-008.

MATING CONNECTOR DRAWINGS	
DESCRIPTION	MOLEX IN-LINE
2X2	SD-33472-0001
2X3	SD-33472-0001
2X4	SD-33472-0001
2X6	SD-33472-0001
2X8	SD-33472-0001
2X10	SD-33472-0001



REV	REV DESCRIPTION
D	MINOR GEOMETRY CHANGE FOR UL VO
C3	ADD 2X4
C2	ADD 2X3
C1	ADD UL VO CONFIGURATIONS
C	ADD 2X8
B1	ADD 2X6 BACKSHELL INFO
B	ADD 2X6
A	INITIAL RELEASE


INSPECTION NUMBER LOG
LAST NUMBER: 9
ADDED:
REMOVED:

ENTER DESCRIPTION EIC NO. VALUING 5539 DRAWING NO. 016/05/14 CHKD: APPROVED: 2014/05/14 DESIGNED:	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE 1.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.10 ±--- 1 PLACE ±0.2 ±--- 0 PLACE ±--- ±---	mm INCH	DRAWN BY APROFITTT 2014/04/28	DATE 2014/04/28	TITLE MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL	MOLEX	SHEET NO. 1 OF 9
		ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE NOTE 2a.	CHECKED BY KBORUSZEWSKI 2014/04/29	DATE 2014/05/14	MATERIAL NO.	DOCUMENT NO. SD-33482-0001	INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX						


19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


SHEET DESCRIPTION
CONFIGURATIONS




2X2 - STANDARD (STD)




2X2 - UL V0+




UL V0 UNIQUE FEATURE
Partialt
SCALE 10:1




2X3 - STANDARD (STD)




2X3 - LENGTHENED



2X4 - STANDARD (STD)




2X6 - STANDARD (STD)



2X8 - STANDARD (STD)



2X10 - STANDARD (STD)



2X10 - UL V0+




* MINOR GEOMETRY CHANGE THAN STANDARD CONFIGURATION.
SEE NOTE 2a FOR MORE INFORMATION

ENTER DESCRIPTION EC. NO. 0334821202-1539 DRAWS: BTJANG 2/16/05/14 CHKD: JAFR/DEKOSKI 20/05/24 APPR: DEKOSKI 20/05/24 REV: 1	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	▽=0	mm INCH	MM ONLY	1:5:1	METRIC	☐
	▽=0	4 PLACES ± --- ± ---	DRAWN BY DATE			
	▽=0	3 PLACES ± --- ± ---	APPROFIT 2014/04/28			
	▽=0	2 PLACES ± 0.10 ± ---	CHECKED BY DATE			
	▽=0	1 PLACE ± 0.2 ± ---	KBORUSZEWSKI 2014/04/29			
	▽=0	0 PLACE ± --- ± ---	APPROVED BY DATE			
		ANGULAR ± 1°	KKOSHY 2014/05/14			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	NATURAL NO.			
			SEE NOTE 2a			
			SIZE 1			
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			TITLE	DOCUMENT NO.	SHEET NO.	
			MX150 BLADE	SD-33482-0001	2 OF 9	
			DUAL ROW SEALED ASSEMBLY			
			MAT SEAL			
			molex			

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

SHEET DESCRIPTION
KEY CONFIGURATIONS



ENTER DESCRIPTION
EC NO. VAL206-1539
DRAWN BY: JANG
DATE: 2014/05/16
CHKD:
APPROVED: WSKI
DATE: 2014/05/24

QUALITY SYMBOLS	mm	INCH
▽=0	4 PLACES ±---	±---
▽=0	3 PLACES ±---	±---
▽=0	2 PLACES ±0.10	±---
▽=0	1 PLACE ±0.2	±---
▽=0	0 PLACE ±---	±---

GENERAL TOLERANCES (UNLESS SPECIFIED)	
mm	INCH
4 PLACES ±---	±---
3 PLACES ±---	±---
2 PLACES ±0.10	±---
1 PLACE ±0.2	±---
0 PLACE ±---	±---

DIMENSION STYLE	
MM ONLY	SCALE 3:1
DRAWN BY	DATE
APPROFIT	2014/04/28
CHECKED BY	DATE
KBORUSZEWSKI	2014/04/29
APPROVED BY	DATE
WKOSHY	2014/05/14

DESIGN UNITS		THIRD ANGLE PROJECTION	
3:1	METRIC	THIRD ANGLE	PROJECTION
TITLE			
MX150 BLADE			
DUAL ROW SEALED ASSEMBLY			
MAT SEAL			
molex			
MATERIAL NO.		DOCUMENT NO.	
SEE NOTE 2a.		SD-33482-0001	
DRAFT WHERE APPLICABLE		SHEET NO.	
MUST REMAIN WITHIN DIMENSIONS		3 OF 9	
SIZE 1 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

Rev. frame_A1_P_AK.LT Rev. G 2010/03/11













SHEET DESCRIPTION

KEY CONFIGURATIONS CONT.

2X8

2X8

2X10



ENTER DESCRIPTION EC NO. UAL2046-1539 DRAWN BY TANG CHKO APPROVED BY DATE 2014/05/14 2014/05/24	QUALITY SYMBOLS 4 PLACES ±0 3 PLACES ±0.10 2 PLACES ±0.2 1 PLACE ±0.5 0 PLACE ±1.0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		mm	INCH	DRAWN BY	DATE	TITLE MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL			
		±	±	CHECKED BY	DATE	molar			
		±	±	APPROVED BY	DATE	DOCUMENT NO. SD-33482-0001			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ± 1°		SEE NOTE 2a		SHEET NO. 4 OF 9		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	







SHEET DESCRIPTION

BLADE SEALED ASSEMBLY


CHARTED DIMENSIONS

DESCRIPTION	DIMENSIONS				
	A	B	C	D	E
2X2	15.54	1.75	24.40	54.45	22.23
2X3 STANDARD	19.04	3.50	26.21	54.45	22.23
2X3 LENGTHENED	19.04	3.50	26.21	54.45	22.23
2X4	22.54	1.75	27.21	54.45	22.23
2X6	29.54	1.75	32.27	54.45	22.23
2X8	36.54	1.75	38.88	54.45	22.23
2X10	43.64	1.75	45.65	54.45	22.06


OPTIONAL LASER MARKING ON THIS SURFACE SEE NOTE 3g.



Partial U-U
SCALE 3:1



PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN PRE-STAGED POSITION
SECTION W-W





PRIMARY LOCK REINFORCEMENT (PLR) SHOWN IN FINAL-LOCK POSITION
SECTION V-V

ENTER DESCRIPTION EC NO. 141206-9539 DRAWS/DATE CHKD. 2016/05/16 APPR/REV APPROVED/DATE 2016/05/24	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION												
	$\nabla=0$ $\nabla=0$ $\nabla=0$	<table border="1"> <tr><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES ±---</td><td>±---</td></tr> <tr><td>3 PLACES ±---</td><td>±---</td></tr> <tr><td>2 PLACES ±0.10</td><td>±---</td></tr> <tr><td>1 PLACE ±0.2</td><td>±---</td></tr> <tr><td>0 PLACE ±---</td><td>±---</td></tr> </table>	mm	INCH	4 PLACES ±---	±---	3 PLACES ±---	±---	2 PLACES ±0.10	±---	1 PLACE ±0.2	±---	0 PLACE ±---	±---	MM ONLY	3:1	METRIC	THIRD ANGLE PROJECTION
	mm	INCH																
	4 PLACES ±---	±---																
3 PLACES ±---	±---																	
2 PLACES ±0.10	±---																	
1 PLACE ±0.2	±---																	
0 PLACE ±---	±---																	
DRAWN BY: APROFITTT CHECKED BY: KBORUSZEWSKI APPROVED BY: MKOSHY	DATE: 2014/04/28 DATE: 2014/04/29 DATE: 2014/05/14	ANGULAR ± 1° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE NOTE 2a. THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	TITLE: MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL molex DOCUMENT NO.: SD-33482-0001	SHEET NO.: 5 OF 9													

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

SHEET DESCRIPTION
SYSTEM PACKAGING

CHARTED DIMENSIONS				
CKT	BLADE CONFIGURATION	RECEPTACLE CONFIGURATION	DIMENSIONS	
			K	L
2X2	STANDARD	STANDARD	72.78	28.00
	LENGTHENED		77.21	
2X3	STANDARD	W/O CLIPSLOT	72.78	30.50
	LENGTHENED	W/O CLIPSLOT	74.79	28.00
2X4	STANDARD	STANDARD	72.78	29.50
2X6	STANDARD	STANDARD	72.79	35.58
2X8	STANDARD	STANDARD	72.67	42.25
2X10	STANDARD	STANDARD	72.78	49.05



ENTER DESCRIPTION EC NO. UAI204-1539 DRAWN BY: 2014/05/14 CHKD: KBORUSZEWSKI APPR: 2014/05/24 DESIGNED BY:	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE: 4:1	DESIGN UNITS: METRIC	THIRD ANGLE PROJECTION	
		4 PLACES ± 0.10	3 PLACES ± 0.15	2 PLACES ± 0.20	1 PLACE ± 0.25	0 PLACE ± 0.30	DRAWN BY: DATE: 2014/04/28 CHECKED BY: DATE: KBORUSZEWSKI 2014/04/29 APPROVED BY: DATE: WKOSHY 2014/05/14	TITLE: MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL molex	SHEET NO. 6 OF 9
		ANGULAR ± 1°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE NOTE 2a		DOCUMENT NO. SD-33482-0001	INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX							

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



SHEET DESCRIPTION
BACKSHELL NOTES

BACKSHELL NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:
a. APPLICATION SPECIFICATION SEE: AS-34951-001
-DESIGNED TO MATE WITH BLADE SEALED ASSEMBLY
-SPECIFIED IN MOLEX DRAWING SD-33482-0001
-SYSTEM TO BE USED WITH WIRE WITHIN DIAMETER RANGE OF 1.2mm TO 2.69mm.
-COMPONENTS ARE OPTIONAL AND MUST BE PURCHASED SEPARATELY.
-BACKSHELL DESIGN IS OWNED BY SChLEMMER.
-FOR ADDITIONAL INFORMATION SEE THE BACKSHELL COMPONENT DRAWING SD-34950-0001.

BACKSHELL CUSTOMER MODEL NUMBER LEGEND

- 34950-XXXX
- CUSTOMER MODEL COMPONENTS
 - 0 - BACKSHELL ONLY
 - 1 - BACKSHELL & MX150 HOUSING KEY A ASSEMBLY
 - 2 - BACKSHELL & MX150 HOUSING KEY B ASSEMBLY
 - 3 - BACKSHELL & MX150 HOUSING KEY C ASSEMBLY
 - 4 - BACKSHELL & MX150 HOUSING KEY D ASSEMBLY
 - BACKSHELL FEATURES
 - 1 - WITH RIBS
 - 2 - WITHOUT RIBS
 - MX150 CIRCUIT SIZE 04, 06, 08, 12, 16, 20




ENTER DESCRIPTION E.C. NO. LAJ006-1239 DRAWING NO. CHKD: APPR: KOSZY DATE: 2014/05/14	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	4 PLACES ± 0.10 3 PLACES ± 0.15 2 PLACES ± 0.20 1 PLACE ± 0.25 0 PLACE ± 0.30	mm INCH ± 0.10 ± 0.004 ± 0.15 ± 0.006 ± 0.20 ± 0.008 ± 0.25 ± 0.010 ± 0.30 ± 0.012	DRAWN BY: APPROFIT DATE: 2014/04/28 CHECKED BY: KBORUSZEWSKI DATE: 2014/04/29 APPROVED BY: KOSZY DATE: 2014/05/14	MM ONLY	4:1	METRIC	TITLE: MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL molex
	ANGULAR ± 1° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE NOTE 2a.	MATERIAL NO.	INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DOCUMENT NO.	SD-33482-0001	SHEET NO. 7 OF 9
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX						

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

SHEET DESCRIPTION
BACKSHELL



Partial Z-Z
SCALE 3.5:1



ENTER DESCRIPTION EC NO. UAU204-1539 DRAWN BY: CHYD APPROVED BY: JAPRZEMSKI DATE: 2014/05/14 DESIGNED BY:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.10 ± --- 1 PLACE ± 0.2 ± --- 0 PLACE ± --- ± ---	MM ONLY	3.5:1	METRIC	MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL molex
	DRAWN BY: CHYD CHECKED BY: JAPRZEMSKI DATE: 2014/05/14	DRAWN BY: KBORUSZEWSKI CHECKED BY: JAPRZEMSKI DATE: 2014/04/29	DRAWN BY: DATE: 2014/04/28 CHECKED BY: DATE: 2014/04/29 APPROVED BY: DATE: 2014/05/14 MATERIAL NO.	SEE NOTE 2a THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	DOCUMENT NO. SD-33482-0001	SHEET NO. 8 OF 9
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

SHEET DESCRIPTION
BACKSHELL CONFIGURATIONS



CKT	BLADE CONFIGURATION	RECEPTACLE CONFIGURATION	DIMENSIONS				
			M	N	P	R	S
2X3	STANDARD	STANDARD	106.83	32.75	31.75	29.00	29.50
	LENGTHENED		108.71				
2X4	STANDARD	STANDARD	106.83	33.50	31.90	30.70	30.70
2X6	STANDARD	STANDARD	106.83	37.84	37.27	35.83	36.83





OVERALL MATED SYSTEM WITH BLADE AND RECEPTACLE BACKSHELL



OVERALL MATED SYSTEM WITH BLADE BACKSHELL



OVERALL MATED SYSTEM WITH RECEPTACLE BACKSHELL



BLADE SEALED ASSEMBLY WITH BLADE BACKSHELL

ENTER DESCRIPTION EC NO. UAL204-1539 DRAWN BY TANG 2014/05/14 CHECKED BY JAPPROBOWSKI 2014/05/24 DESIGNED BY	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	∇=0 ∇=0 ∇=0	mm INCH 4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.10 ±--- 1 PLACE ±0.2 ±--- 0 PLACE ±--- ±---	MM ONLY DRAWN BY DATE APROFIT 2014/04/28 CHECKED BY DATE KBORUSZEWSKI 2014/04/29 APPROVED BY DATE WKOSHY 2014/05/14 MATERIAL NO.	2:1	METRIC	MX150 BLADE DUAL ROW SEALED ASSEMBLY MAT SEAL molex
	ANGULAR ± 1° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE NOTE 2a	DOCUMENT NO.			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SD-33482-0001			
						SHEET NO. 9 OF 9

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1