

Excellent Integrated System Limited




Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10058686-003LF](#)

For any questions, you can email us directly:
sales@integrated-circuit.com


PRODUCT NUMBER
SEE SHEET 2




CONFIDENTIAL

www.fciconnect.com		surface ASME Y14.5	tolerance std ASME Y14.5	projection MM
		TOLERANCES UNLESS OTHERWISE SPECIFIED		
REV	REV NO	DR	DATE	SIZE
A	506-0199	CH	2006-06-05	A2
B	507-0055	LS	2007-06-04	ECN ***
Dr: T. HOUTZ 2005-08-16 Eng: C. H. TAN 2006-06-05 Chk: C. H. TAN 2007-06-04 Appr: JOEY NG 2007-06-04				Scale 1:1
Product family AirMax COVER R/A HDR & RECPT - 4pr, 2mm				Spec ref
Catalog no 10058686				Rev. B
CUSTOMER				sheet 1 of 2

PART NUMBER (NOTE 3)	CONNECTOR GENDER	NUMBER OF IMLAS	DIM A	DIM C
10058686-001LF	R/A HEADER	6	13.60	13.80
10058686-002LF	R/A HEADER	8	17.60	13.80
10058686-003LF	R/A HEADER	10	21.60	13.80
10058686-004LF	R/A RECEPT.	6	13.60	19.25
10058686-005LF	R/A RECEPT.	8	17.60	19.25
10058686-006LF	R/A RECEPT.	10	21.60	19.25



10058686-003LF SHOWN
SCALE 4:1



10058686-006LF SHOWN
SCALE 4:1

NOTES:

- MATERIAL: THERMOPLASTIC RESIN
COLOR : BLACK,
UL94V-0 COMPLIANT,
MAXIMUM OPERATING TEMPERATURE
IS 105°C.
- THIS PRODUCT IS NOT INTENDED TO BE EXPOSED
TO A MANUFACTURING SOLDER PROCESS.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES
AND OTHER COUNTRY REGULATIONS AS DESCRIBED
IN GS-22-008.
- PACKAGING MEETS GS-14-920 LEAD FREE
LABELLING SPECIFICATION.

CONFIDENTIAL

	Part	AirMax COVER	Rev.	B
	Category no	R/A HDR & RECEPT - 4pr, 2mm	Part no	10058686
CUSTOMER			Sheet	2 of 2

PDM: Rev: B

STATUS: Released 8 Printed: Dec 01, 2010