

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[ASSMANN WSW Components](#)

[A-TB500-TI02](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	1	2	3	4	5	6	7																																																																																				
A			<p>P.C.B LAYOUT</p>		<p>Material</p> <ul style="list-style-type: none"> Terminal body (metal housing): Brass (CuZn) Terminal screw: Steel Zinc plating "-" slot type Contacts: Brass Surface of solder tail: Tin plated Insulator (housing): Thermoplastic (UL94V-0), Green 			A																																																																																			
B					<p>Electrical UL</p> <ul style="list-style-type: none"> Voltage rating: 300VAC Current rating: 10A Wire range: Solid wire (AWG): 12-22; Stranded wire (AWG): 12-22 Torque (Lb-In): 3.5 Screw: M2.5 Wire strip length: 6-7mm Withstanding Voltage: 1.6KV Operating temperature: -40°C to +115°C Soldering temperature: 250°C ±10°C/5 Sec Safety Approval: 			B																																																																																			
C								C																																																																																			
D								D																																																																																			
E								E																																																																																			
F								F																																																																																			
G	<p>RoHS compliant</p>		<table border="1"> <tr> <td>Scale</td> <td>1:1</td> <td></td> <td></td> <td></td> <td></td> <td>Date</td> <td>Name</td> <td>Customer-No.</td> </tr> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawn</td> <td>29.07.2009</td> <td>Dean</td> </tr> <tr> <td>X.</td> <td>±0.50</td> <td></td> <td></td> <td></td> <td></td> <td>Approved</td> <td>29.07.2009</td> <td>Hellwig</td> </tr> <tr> <td>X.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ASSMANN WSW-No. A-TB500-TIxx</td> </tr> <tr> <td>X.XX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawing-No.</td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td colspan="2" rowspan="3"> </td> <td>ASS 3594 CO</td> <td>rev01</td> </tr> <tr> <td>X.°</td> <td>±1°</td> <td></td> <td></td> <td></td> <td>Replace</td> <td>Sheet</td> </tr> <tr> <td>X.X°</td> <td>±X°</td> <td>①</td> <td>Drawn</td> <td>29.07.2009</td> <td>Dean</td> <td></td> <td></td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td>Id.</td> <td>Modification</td> <td>Date</td> <td>Name</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		Scale	1:1					Date	Name	Customer-No.	TOLERANCE						Drawn	29.07.2009	Dean	X.	±0.50					Approved	29.07.2009	Hellwig	X.X	±0.30							ASSMANN WSW-No. A-TB500-TIxx	X.XX	±0.10							Drawing-No.	DIM	TOL							ASS 3594 CO	rev01	X.°	±1°				Replace	Sheet	X.X°	±X°	①	Drawn	29.07.2009	Dean			Angle	TOL	Id.	Modification	Date	Name											G
Scale	1:1					Date	Name	Customer-No.																																																																																			
TOLERANCE						Drawn	29.07.2009	Dean																																																																																			
X.	±0.50					Approved	29.07.2009	Hellwig																																																																																			
X.X	±0.30							ASSMANN WSW-No. A-TB500-TIxx																																																																																			
X.XX	±0.10							Drawing-No.																																																																																			
DIM	TOL							ASS 3594 CO	rev01																																																																																		
X.°	±1°				Replace			Sheet																																																																																			
X.X°	±X°	①	Drawn	29.07.2009	Dean																																																																																						
Angle	TOL	Id.	Modification	Date	Name																																																																																						
H									H																																																																																		
	1	2	3	4	5	6	7	SVxxxx																																																																																			