

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[ASSMANN WSW Components](#)

[A-TB508-VJ02H](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	1	2	3	4	5	6	7																																																																														
A					<p>Material</p> <ul style="list-style-type: none"> Terminal body (metal housing): Brass(CuZn) Terminal screw: Steel Zinc plating "-" slot type Contacts: Brass Surface of solder tail: Tin plated Insulator (housing): Thermoplastic (UL94V-0),Green 			A																																																																													
B								B																																																																													
C					<p>Electrical</p> <ul style="list-style-type: none"> Voltage rating: 300VAC Current rating: 20A Solid wire(AWG): 12-30 Stranded wire(AWG): 12-30 Torque(Lb-In): 3,5 Screw: M3 Wire strip length: 6-7mm Withstanding Voltage: 1.6KV Operating temperature: -40°C to +115°C Soldering temperature: 250°C±10°C/5 Sec Safety Approval: us 			C																																																																													
D								D																																																																													
E								E																																																																													
F								F																																																																													
G	<p>RoHS compliant</p>		<table border="1"> <tr> <td>Scale</td> <td>1:1</td> <td></td> <td></td> <td></td> <td></td> <td>Date</td> <td>Name</td> <td>Customer-No.</td> </tr> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawn</td> <td>29.07.2009</td> <td>Dean</td> </tr> <tr> <td>X.</td> <td>±0.50</td> <td></td> <td></td> <td></td> <td></td> <td>Approved</td> <td>29.07.2009</td> <td>Hellwig</td> </tr> <tr> <td>X.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ASSMANN WSW-No.</td> </tr> <tr> <td>X.XX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>A-TB508-VJxxH</td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawing-No.</td> </tr> <tr> <td>X.°</td> <td>±1°</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ASS 3595 CO</td> </tr> <tr> <td>X.X°</td> <td>±X°</td> <td>①</td> <td>Drawn</td> <td>29.07.2009</td> <td>Dean</td> <td colspan="2" rowspan="2"> </td> <td>rev01</td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td>Id.</td> <td>Modification</td> <td>Date</td> <td>Name</td> <td>Replace</td> <td>Sheet</td> </tr> </table>		Scale	1:1					Date	Name	Customer-No.	TOLERANCE						Drawn	29.07.2009	Dean	X.	±0.50					Approved	29.07.2009	Hellwig	X.X	±0.30							ASSMANN WSW-No.	X.XX	±0.10							A-TB508-VJxxH	DIM	TOL							Drawing-No.	X.°	±1°							ASS 3595 CO	X.X°	±X°	①	Drawn	29.07.2009	Dean			rev01	Angle	TOL	Id.	Modification	Date	Name	Replace	Sheet	G
Scale	1:1					Date	Name	Customer-No.																																																																													
TOLERANCE						Drawn	29.07.2009	Dean																																																																													
X.	±0.50					Approved	29.07.2009	Hellwig																																																																													
X.X	±0.30							ASSMANN WSW-No.																																																																													
X.XX	±0.10							A-TB508-VJxxH																																																																													
DIM	TOL							Drawing-No.																																																																													
X.°	±1°							ASS 3595 CO																																																																													
X.X°	±X°	①	Drawn	29.07.2009	Dean			rev01																																																																													
Angle	TOL	Id.	Modification	Date	Name			Replace	Sheet																																																																												
H								H																																																																													
	1	2	3	4	5	6	7	svxxxx																																																																													