

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[ASSMANN WSW Components](#)

[A-TB762-OQ02CV](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

	1	2	3	4	5	6	7																																																																												
A	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>N=Number of contacts</p> </div> <div style="width: 45%;"> <p>NOTES:</p> <p>MATERIAL</p> <p>1.Item Ⓞ Contact pin: Brass(CuZn)Tin plated 2.Item Ⓞ Insulator (housing):Thermoplastic (UL 94V-0),green</p> <p>ELECTRICAL</p> <p>1.Current Rating : 20A 2.Voltage Rating : 300V 3.Withstand Voltage : 1.6KV</p> <p>ENVIRONMENTAL</p> <p>1.Soldering Temperature: 250°C ±10°C/5 Sec 2.Operating Temperature: -40°C to +115°C 3.Safety approval: cULus</p> <p>Recommended PCB Layout</p> </div> </div>							A																																																																											
B								B																																																																											
C								C																																																																											
D								D																																																																											
E								E																																																																											
F								F																																																																											
G	RoHS compliant		<table border="1"> <tr> <td>Scale</td> <td>1:1</td> <td></td> <td></td> <td></td> <td></td> <td>Date</td> <td>Name</td> <td>Customer-No.</td> </tr> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawn</td> <td>19.03.2009</td> <td>Dean</td> </tr> <tr> <td>X.</td> <td>±0.50</td> <td></td> <td></td> <td></td> <td></td> <td>Approved</td> <td>19.03.2009</td> <td>Hellwig</td> </tr> <tr> <td>X.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>ASSMANN WSW-No. A-TB762-OQXXCV</td> </tr> <tr> <td>X.XX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawing-No.</td> </tr> <tr> <td>DIM</td> <td>TOL</td> <td></td> <td></td> <td></td> <td></td> <td colspan="2" rowspan="4" style="text-align: center;"></td> <td>ASS 3419 CO</td> <td>rev01</td> </tr> <tr> <td>X.°</td> <td>±1°</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.X°</td> <td>±X°</td> <td>Ⓞ</td> <td>Drawn</td> <td>19.03.2009</td> <td>Dean</td> <td>Replace</td> <td>Sheet</td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td>Id.</td> <td>Modification</td> <td>Date</td> <td>Name</td> <td></td> <td></td> </tr> </table>	Scale	1:1					Date	Name	Customer-No.	TOLERANCE						Drawn	19.03.2009	Dean	X.	±0.50					Approved	19.03.2009	Hellwig	X.X	±0.30							ASSMANN WSW-No. A-TB762-OQXXCV	X.XX	±0.10							Drawing-No.	DIM	TOL							ASS 3419 CO	rev01	X.°	±1°							X.X°	±X°	Ⓞ	Drawn	19.03.2009	Dean	Replace	Sheet	Angle	TOL	Id.	Modification	Date	Name			G
Scale	1:1					Date	Name	Customer-No.																																																																											
TOLERANCE						Drawn	19.03.2009	Dean																																																																											
X.	±0.50					Approved	19.03.2009	Hellwig																																																																											
X.X	±0.30							ASSMANN WSW-No. A-TB762-OQXXCV																																																																											
X.XX	±0.10							Drawing-No.																																																																											
DIM	TOL							ASS 3419 CO	rev01																																																																										
X.°	±1°																																																																																		
X.X°	±X°	Ⓞ	Drawn	19.03.2009	Dean			Replace	Sheet																																																																										
Angle	TOL	Id.	Modification	Date	Name																																																																														
H	H																																																																																		
	1	2	3	4	5	6	7	SV1387																																																																											