



## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[170-03059](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

170-03059



Article Number: 170-03059

Resin Coated Fiberglass Sleeve, 0.5" Dia., Black, 50.0 ft/Standard Reel



Download drawing



Download spec sheet

## Base Data

Local Order Number 170-03059

Type BSHTFG120

Color Black (BK)

- Features and Benefits**
- An extremely tough sleeving material which provides thermal protection up to 1,200°F.
  - Sturdy construction maintains its tight structure under extreme shaking, scraping, pressure and varying temperature conditions.
  - Cuts easily with ordinary scissors for easy application.
  - UL VW-1 flammability rating for use in conditions requiring a very high degree of flame resistance.

**Product Description** An extremely high-temperature resistant sleeving designed to protect wires and cables subjected to continuous temperature variations, vibration, abrasion, and mechanical stress.

**Short Description** Resin Coated Fiberglass Sleeve, 0.5" Dia., Black, 50.0 ft/Standard Reel

## Product Dimensions

Length L (Imperial) 50.0 ft

Length L (Metric) 15.2 m

Reel Length (imperial) 50.0 ft

Bundle Diameter Max. (Imperial) 0.75 "

Bundle Diameter Max. (Metric) 19.1 mm

Nominal Diameter (Imperial) 1/2 "

Nominal Diameter (Metric) 12.7 mm

## Logistics and Packaging

Quantity Per reel

Package Quantity 50 ft

Weight (Metric) 1.09 kg

Weight (imperial) 2.4 lbs

## Material and Specifications

Material Glass Fiber (GF)

Operating Temperature -94°F to +1202°F (-70°C to +650°C)

ROHS Compliant Yes

UL Recognized (US) Yes



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 170-03059 - 1/2" RESIN FIBERGLASS SLEEVING

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---