



## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[170-03111](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

170-03111



Article Number: 170-03111

Plenum Rated Expandable Braided Sleeveing (Halar), 1.25" Dia., White, 50.0 ft/Reel



Download drawing



Download spec sheet

## Base Data

Local Order Number 170-03111

Type BSHLR11410

Color White (WH)

**Features and Benefits**

- Meets UL 2024 and NFPA 262 specifications meets requirements for use in plenum applications.
- Technically advanced monofilament material is rated as low smoke, flame resistant and can withstand exposure to Cobal 60 radiation.
- Exceeds requirements of FMVSS 302 as well as aviation industry requirements of FAR25.

**Product Description** Halar self-extinguishing sleeveing is used where flammability, high temperature endurance and low outgassing are the primary concern.

**Short Description** Plenum Rated Expandable Braided Sleeveing (Halar), 1.25" Dia., White, 50.0 ft/Reel

## Product Dimensions

Length L (Imperial) 50.0 ft

Length L (Metric) 15.2 m

Reel Length (imperial) 50.0 ft

Bundle Diameter Min. (Imperial) 0.75 "

Bundle Diameter Min. (Metric) 19.1 mm

Bundle Diameter Max. (Imperial) 1.75 "

Bundle Diameter Max. (Metric) 44.5 mm

Nominal Diameter (Imperial) 1-1/4 "

Nominal Diameter (Metric) 31.8 mm

## Logistics and Packaging

Quantity Per reel

Package Quantity 50 ft

Weight (Metric) 0.59 kg

Weight (imperial) 1.3 lbs

## Material and Specifications

Material Polyamide 6.6 (E/CTFE)

Material Shortcut E/TFE

Flammability UL VW-1  
FAR 25

Operating Temperature -103°F to +302°F (-75°C to +150°C)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 170-03111 - 1-1/4" PLENUM RATED SLEEVING

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**ROHS Compliant** Yes

**Certification/Specification** UL2024

**UL Recognized (US and Canada)** Yes