

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[170-03116](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

170-03116



Article Number: 170-03116

Fray Resistant Flame Retardant Expandable Braided Sleeveing, 0.13" Dia., Black, 1000.0 ft/Bulk Reel



Download drawing



Download spec sheet

## Base Data

Local Order Number 170-03116

Type BSSCFR180B

Color Black (BK)

- Features and Benefits**
- Increased braid density coverage provides higher level of abrasion resistance without losing flexibility.
  - Treated yarns extinguish quickly and reduces potential flame spread to surrounding components.
  - Cuts with ordinary scissors without fraying ends.

**Product Description** Treated polyester yarns that can be cut with sharp scissors and provides flame retardant properties. Well suited for situations where access to a hot knife is either impractical or impossible. Contains white tracer thread for easy identification.

**Short Description** Fray Resistant Flame Retardant Expandable Braided Sleeveing, 0.13" Dia., Black, 1000.0 ft/Bulk Reel

## Product Dimensions

Length L (Imperial) 1000.0 ft

Length L (Metric) 304.8 m

Reel Length (imperial) 1000.0 ft

Bundle Diameter Min. (Imperial) 0.125 "

Bundle Diameter Min. (Metric) 3.2 mm

Bundle Diameter Max. (Imperial) 0.25 "

Bundle Diameter Max. (Metric) 6.4 mm

Nominal Diameter (Imperial) 1/8 "

Nominal Diameter (Metric) 3.3 mm

## Logistics and Packaging

Quantity Per reel

Package Quantity 1000 ft

Weight (Metric) 1.8 kg

Weight (imperial) 4.00

## Material and Specifications

Material Polyester (PET)

Material Shortcut PET

Flammability Mil-202  
UL VW-1

Operating Temperature -94°F to +257°F (-70°C to +125°C)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 170-03116 - 1/8" FRAY RESIS FR BRDD SLVNG

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**ROHS Compliant** Yes

**UL Recognized (US and Canada)** Yes