

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)
[170-03157](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

170-03157



Article Number: 170-03157

Flame Retardant Hook & Loop Braided Sleeving, 2.5", PET, Black, 100 ft/Bulk Reel



Download drawing



Download spec sheet

Base Data

Local Order Number 170-03157

Type BSHKLPFR212B

Color Black (BK)

- Features and Benefits**
- Flexible construction that conforms to irregular shapes and contours.
 - Hook and loop feature wraps over cable bundle allowing future access to cables.
 - Easy access saves assembly time and allows for easy splicing or insertion of additional wires.

Product Description Flame retardant expandable braided sleeving with hook & loop strip for wrapping around cable assemblies. Color matched hook & loop closure provides an easy on and off installation, as well as convenient access for harness break-outs.

Short Description Flame Retardant Hook & Loop Braided Sleeving, 2.5", PET, Black, 100 ft/Bulk Reel

Product Dimensions

Length L (Imperial) 100.0 ft

Length L (Metric) 30.48 m

Reel Length (imperial) 100.0 ft

Bundle Diameter Max. (Imperial) 2.5 "

Bundle Diameter Max. (Metric) 63.5 mm

Nominal Diameter (Imperial) 2-1/2 "

Nominal Diameter (Metric) 63.5 mm

Logistics and Packaging

Quantity Per reel

Package Quantity 100 ft

Package Quantity (Metric) 100.0 ft

Weight (Metric) 1.70 kg

Weight (imperial) 3.75 lbs

Material and Specifications

Material Polyester (PET)

Material Shortcut PET

Flammability VW-1

Operating Temperature -94°F to +257°F (-70°C to +125°C)

ROHS Compliant Yes

Certification/Specification MIL-STD-202 VAW-1



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of 170-03157 - 2.5" FR HOOK&LOOP BRDD SLVNG

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com
