

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[556-00430](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

556-00430



**Article Number: 556-00430**

**Thermal Transfer Printer, TTM430, 300 DPI, Gray, 1/EA**



Download spec sheet

## Base Data

**Local Order Number** 556-00430

**Type** TTM430

**Color** Gray (GY)

- Features and Benefits**
- 300 dpi print head for high resolution printing.
  - Ethernet ready for easy network connectivity.
  - Print speeds up to 7.87 / second for fast label production.
  - Adjustable gap sensor so that the printer can detect a wide variety of label types.
  - Floating print head to automatically adjust to varying media thickness such as printable heat shrink tubing.
  - Optional cutter faceplate for automatic cutting and kitting of printed labels.
  - Wireless network ready for full production control.
  - Printer status screen for easy reference of network status, date, time, print head temperature and ribbon usage.

**Product Description** HellermannTyton's TTM430 thermal transfer printer is designed for medium to high volume users of thermal transfer labels and ShrinkTrak. Its user-friendly design features a streamlined menu for simple navigation, while its built in caddy allows even the largest label rolls to fit inside the printer. The optional cutter can cut through the thickest material. The 300 dpi print head provides the highest quality printing. The TTM430 is designed to handle all sizes of HellermannTyton's ShrinkTrak markers, and the TTM430 can print on even the smallest labels.

**Short Description** Thermal Transfer Printer, TTM430, 300 DPI, Gray, 1/EA

## Product Dimensions

**Width W (Imperial)** 9.44 "

**Width W (Metric)** 240 mm

**Height H (Imperial)** 12.28 "

**Height H (Metric)** 312 mm

**Depth D (metric)** 435 mm

**Depth D (imperial)** 17.12 "

**Print Method** Thermal Transfer

## Logistics and Packaging

**Quantity Per** EA

**Package Quantity** 1

**Package Quantity (Metric)** 1

**Weight (Metric)** 15 kg

**Weight (imperial)** 32.4

## Material and Specifications

**Material** Plastic



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of 556-00430 - TTM430 300 DPI THERMAL PRINTER

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

**Material Shortcut** Plastic

**Operating Temperature** +40°F to +104°F (+4°C to +40°C)

**ROHS Compliant** Yes

**UL Listed (US and Canada)** Yes