



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of 596-00257 - LABEL ID/RATNG 6.75"X2.75" WHT/R

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)

[596-00257](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

HellermannTyton

596-00257

Article Number: 596-00257

Pre-Printed Solar Label, Reflective, Roof Top Label, 6.75" X 2.75", PV POWER SOURCE, Vinyl, Red, 1/pkg



Download spec sheet

Base Data

Local Order Number 596-00257

Type PVPSRTM

Color Red (RD)

- Features and Benefits**
- Pre-Printed Solar Labels are made using high performance UV stable materials and adhesives for long outdoor life.
 - Designed to meet NEC and IFC standards for PV installation labeling, the pre-printed Solar labels come printed with the most common legends required by the AHJ (Authority Having Jurisdiction) used on large utility and scaled projects to ensure code compliance during inspection.
 - Labels are UV stable and made with special high bond adhesives to stick to both powder coat painted surfaces and baked enamel surfaces found on most disconnect switches and breaker boxes.
 - The printed inks meet the fire safety standards of the IFC (International Fire Code) and also meet the requirements of UL969 for high reflectivity and durability.

Product Description HellermannTyton pre-printed Solar Installation labels are designed to meet the requirements of the National Electrical Code (NEC) International Fire Code (IFC) as well as being acceptable to the Authority Having Jurisdiction (AHJ). Labels are made with durable UV stable materials and adhesives that are designed to stick to both baked enamel and powder coat surfaces. Where applicable, labels are made using reflective materials for first responder safety. Some pre-printed labels are printable using a thermal transfer printer when variable voltage or series data must be printed and displayed.

Technical Description 6.5" X 1" White text on red background that reads as: "WARNING: PHOTOVOLTAIC POWER SOURCE" in 3/8" tall characters on aluminum plate. 50 per pkg.

Local Order Number 2 Spanish Version: 596-00822

Short Description Pre-Printed Solar Label, Reflective, Roof Top Label, 6.75" X 2.75", PV POWER SOURCE, Vinyl, Red, 1/pkg

Product Dimensions

Length L (Imperial) 6.75 "

Length L (Metric) 171.4 mm

Width W (Imperial) 6.75 "

Width W (Metric) 171.4 mm

Height H (Imperial) 2.75 "

Height H (Metric) 69.85 mm

Logistics and Packaging

Quantity Per EA

Package Quantity 1

Package Quantity (Metric) 1

Labels per Column 1

Labels per Row 1

Material and Specifications

Material	Type 242/552, UV Stable Reflective Vinyl w/Acrylic Laminate
Material Shortcut	242/552
Adhesive	Acrylic
Adhesive Shortcut	Acrylic
Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
Halogenfree	Yes
Operating Temperature	-40°F to +174°F (-40°C to +79°C)
ROHS Compliant	Yes
Certification/Specification	UL969
UL Recognized (US)	Yes