

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)


[596-00413](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

596-00413



Article Number: 596-00413

Foam Nameplate, 1.25" X 1.25" Button Label With .88" Hole, PET, Black, 250/RL



Download drawing



Download spec sheet

## Base Data

Local Order Number 596-00413

Type NPLH31X31BK22.5

Color Black (BK)

- Features and Benefits**
- Foam Nameplate labels are less costly than plastic or metal engraved plates, saving material costs.
  - Foam Nameplate labels conform to textured and other low energy surfaces ensuring the labels stay in place for the life of the product.
  - Labels are UV and chemical resistant for long life in an industrial environment.
  - Foam nameplate labels are printable using a thermal transfer printer for complete control and on-demand creation of labels.

**Product Description** Foam Nameplate labels are designed to replace plastic and metal engraved phenolic plates commonly found on electrical control panels. The labels provide the look and feel of a plastic engraved or metal plate, but at a fraction of the cost. Labels can be printed using HellermannTyton Tagprint Pro labeling software and can include printed logos, barcodes and text of almost any size and type.

**Short Description** Foam Nameplate, 1.25" X 1.25" Button Label With .88" Hole, PET, Black, 250/RL

## Product Dimensions

Length L (Imperial) 1.25 "

Length L (Metric) 31.7 mm

Self adhesive (Yes/No) Yes

Width W (Imperial) 1.25 "

Width W (Metric) 31.7 mm

Height H (Imperial) 1.25 "

Height H (Metric) 31.7 mm

Mounting Hole Diameter D (Imperial) 0.88 "

Mounting Hole Diameter D (Metric) 22.35 mm

Horizontal Repeat HR (metric) 31.7 mm

Horizontal Repeat HR (imperial) 1.25 "

Mounting Hole Diameter D Max. 22.35 mm

(Metric) Mounting Hole Diameter D Min. (Metric) 22.35 mm

Print Method Thermal Transfer

Vertical Repeat VR (imperial) 1.375 "

Vertical Repeat VR (metric) 34.92 mm

Width of Liner WL (imperial) 1.5 "

Width of Liner WL (metric) 38.1 mm

## Logistics and Packaging

---

Quantity Per	reel
Package Quantity	250
Package Quantity (Metric)	250
Labels per Column	1
Labels per Row	1
Weight (Metric)	0.22 kg
Weight (imperial)	0.5 lbs

## Material and Specifications

---

Material	Polyester (PET)
Material Shortcut	PET
Adhesive Shortcut	Acrylic
Adhesive	Acrylic
Adhesive Operating Temperature	-40°F to +176°F (-40°C to +80°C)
Operating Temperature	-40°F to +176°F (-40°C to +80°C)
ROHS Compliant	Yes
UL Recognized (US)	Yes