

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[GT.50X8MP2V2](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## GT.50X8MP2V2



**Article Number:** 854-44368

**Grip Tie, 8.0"x.5", UL94V-2 Flame Rated, Polyamide; Polypropylene, Maroon, 10/pkg**



Download spec sheet

### Base Data

**Local Order Number** GT.50X8MP2V2

**Type** GT.50X8

**Color** Maroon (MN)

- Features and Benefits**
- UL94V0-2 flame rate material allow use in air handling spaces.
  - Features quick release for repetitive access to cable and wire.
  - Can be opened and closed numerous times without failure.
  - Adjustable so one size can accommodate multiple bundle sizes.

**Product Description** The Grip Tie is a low profile, one piece fastening device. Constructed of polyethylene hook and nylon loop and laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords.

**Short Description** Grip Tie, 8.0"x.5", UL94V-2 Flame Rated, Polyamide; Polypropylene, Maroon, 10/pkg

### Product Dimensions

**Minimum Tensile Strength (Imperial)** 40.0 lbs

**Minimum Tensile Strength (Metric)** 177.93 N

**Length L (Imperial)** 8.0 "

**Length L (Metric)** 203.2 mm

**Length L2 (Imperial)** 1.5 "

**Length L2 (Metric)** 38.1 mm

**Width W (Imperial)** 0.5 "

**Width W (Metric)** 12.7 mm

**Width W2 (Imperial)** 1.0 "

**Width W2 (Metric)** 25.4 mm

**Bundle Diameter Max. (Imperial)** 1.91 "

**Bundle Diameter Max. (Metric)** 48.514 mm

### Logistics and Packaging

**Quantity Per** bag

**Package Quantity** 10

**Package Quantity (Metric)** 10

**Carton Quantity** 1000

### Material and Specifications



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of GT.50X8MP2V2 - GRIP TIE 8X.5" FLAME RATED

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

Polyamide 6 (PA6)

**Material Shortcut** PA66  
PP