

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[GT.75X150P2](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## GT.75X150P2



**Article Number:** 854-44371

**Grip Tie, 15.0"x.75", Polyamide; Polyethylene, Black, 10/pkg**



Download drawing



Download spec sheet

### Base Data

**Local Order Number** GT.75X150P2

**Type** GT.75X15

**Color** Black (BK)

- Features and Benefits**
- Features quick release for repetitive access to cable and wire.
  - Can be opened and closed numerous times without failure.
  - Adjustable so one size can accommodate multiple bundle sizes.

**Product Description** The Grip Tie is a low profile, one piece fastening device. Constructed of a hook and loop design, laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords.

**Short Description** Grip Tie, 15.0"x.75", Polyamide; Polyethylene, Black, 10/pkg

### Product Dimensions

**Minimum Tensile Strength (Imperial)** 50.0 lbs

**Minimum Tensile Strength (Metric)** 222.41 N

**Length L (Imperial)** 15.0 "

**Length L (Metric)** 381.0 mm

**Length L2 (Imperial)** 2.5 "

**Length L2 (Metric)** 63.5 mm

**Width W (Imperial)** 0.75 "

**Width W (Metric)** 19.05 mm

**Width W2 (Imperial)** 1.5 "

**Width W2 (Metric)** 38.1 mm

**Bundle Diameter Max. (Imperial)** 3.88 "

**Bundle Diameter Max. (Metric)** 98.552 mm

### Logistics and Packaging

**Quantity Per** bag

**Package Quantity** 10

**Package Quantity (Metric)** 10

**Carton Quantity** 1000

### Material and Specifications

**Material** Polyethylene (PE)  
Polyamide 6 (PA6)



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of GT.75X150P2 - GRIP TIE 15X.75" BLACK

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---

PE