Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

HellermannTyton RJ45FC6B-W

For any questions, you can email us directly: sales@integrated-circuit.com



Distributor of HellermannTyton: Excellent Integrated System Limited

Datasheet of RJ45FC6B-W - INSERT RJ45 JACK TO IDC 50/BX

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

HellermannTyton

RJ45FC6B-W



Article Number: 852-25068

Category 6 Modular Keystone Jack Bulk Pack, White, 50/box



Base Data

Local Order Number RJ45FC6B-W

Type RJ45FC6

Color White (WH)

- Features and Benefits · Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity.
 - Standard keystone style interface provides flexibility in connecting components.
 - Unique strain relief design secures cable terminations.
 - Configured to both TIA 568A and 568B wiring schemes for installation versatility.
 - Available in 12 colors for easy color coding identification.

Product Description

HellermannTyton's GigaBand flush Category 6 modular jack is designed to "future proof" installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance.

Technical Description

The performance of the Category 6 system provides significant margin over TIA Category 6 and ISO/IEC 11801 Class

D requirements.

Adapters are available to enable the keystone jack to be assembled with the GigaBand/Alpha Snap shuttered outlet

and 6C angled module.

Short Description Category 6 Modular Keystone Jack Bulk Pack, White, 50/box

Product Dimensions

Performance Category Category 6 (Class E)

Port count 1

Width W (Imperial) 15.75 "

Width W (Metric) 19.0 mm

Height H (Imperial) 15.91 "

Height H (Metric) 23.0 mm

Depth D (metric) 42.0 mm

Depth D (imperial)

Logistics and Packaging

Quantity Per box

Package Quantity 50

Package Quantity (Metric) 50

Carton Quantity 1



Distributor of HellermannTyton: Excellent Integrated System LimitedDatasheet of RJ45FC6B-W - INSERT RJ45 JACK TO IDC 50/BX

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

© HellermannTyton 2015