

## **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[SNP7010C2](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## SNP7010C2



Article Number: 190-00212

Snapper Hose Clamps, 2.624"/3.1" Min/Max Diameter, POM, White, 100/pkg



Download drawing



Download spec sheet

### Base Data

Local Order Number SNP7010C2

Type SNP70

Color White (WH)

**Features and Benefits**

- Designed for quick, ratcheted installation and can be released and reused.
- Polyacetal material resists chemicals, corrosion and UV rays making it suitable for extreme environments.

**Product Description** HellermannTyton snapper hose clamps are designed to provide a quick, ratcheted closure reducing installation time. The design also allows the clamp to be easily removed and re-applied when necessary. Snappers are made of high performing materials providing stability in a variety of diverse environments. Available in 32 standard sizes.

**Short Description** Snapper Hose Clamps, 2.624"/3.1" Min/Max Diameter, POM, White, 100/pkg

### Product Dimensions

Fixation Method Plug-in mounting

Variant Closed

Width W2 (Imperial) 0.374 "

Width W2 (Metric) 9.50 mm

Diameter Min. (Imperial) 2.624 "

Diameter Min. (Metric) 66.65 mm

Diameter Max. (Imperial) 3.1 "

Diameter Max. (Metric) 78.74 mm

Wall Thickness WT (Imperial) 0.077 "

Wall Thickness WT (Metric) 2 mm

### Logistics and Packaging

Quantity Per bag

Package Quantity (Metric) 100

Carton Quantity 500

### Material and Specifications

Material Polyacetal (POM)

Material Shortcut POM

Flammability UL94 HB

Operating Temperature -40°F to +185°F (-40°C to +85°C)

ROHS Compliant Yes



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of SNP7010C2 - SNPPR HOSE CLAMP MAX 2.897"

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---