

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[HellermannTyton](#)  
[TT822OUTSM](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

# HellermannTyton

## TT822OUTSM



Article Number: 556-00145

Thermal Transfer Ribbon, 4.33" X 299', .50" Core, 822 Resin, Black, 1/EA



Download spec sheet

### Base Data

Local Order Number TT822OUTSM

Type TT822OUTSM

Color Black (BK)

- Features and Benefits**
- Ribbons are resin based for the best print durability.
  - Ribbons are available to fit all HellermannTyton printers for easy resupply.
  - Ribbons are available in colors for maximizing design printing capabilities.
  - Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.

**Product Description** HellermannTyton thermal transfer ribbons are designed for use in HellermannTyton thermal transfer printers. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton label stock to give the best chemical and abrasion resistance.

**Short Description** Thermal Transfer Ribbon, 4.33" X 299', .50" Core, 822 Resin, Black, 1/EA

### Product Dimensions

Length L (Imperial) 242.0 ft

Length L (Metric) 74.0 m

Reel Length (imperial) 242.0 ft

Variant Coloured ribbon

Width W (Imperial) 4.33 "

Width W (Metric) 110.0 mm

Print Method Thermal Transfer

### Logistics and Packaging

Quantity Per EA

Package Quantity 1

Package Quantity (Metric) 1

Carton Quantity 1

Labels per Column 1

### Material and Specifications

Material Type 822, Polyester, black (BK)

Material Shortcut 822

Operating Temperature +40°F to +300°F (+4°C to +82°C)

ROHS Compliant Yes



**Distributor of HellermannTyton: Excellent Integrated System Limited**

Datasheet of TT822OUTSM - BLACK TRANSFER RIBBON 1/2" CORE

Contact us: [sales@integrated-circuit.com](mailto:sales@integrated-circuit.com) Website: [www.integrated-circuit.com](http://www.integrated-circuit.com)

---