

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Tripp Lite](#)

[SUBF2030](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



External Battery Frame for Extended Runtime for select SmartOnline 20kVA & 30kVA 3-Phase UPS Systems

MODEL NUMBER: **SUBF2030**



Highlights

- External Battery Frame holds up to four [SURBC2030](#) Internal Battery Packs(available separately from Tripp Lite) to extend runtime
- High current DC connector attaches to select Tripp Lite SmartOnline 20kVA and 30kVA 3-Phase UPS Systems
- Simple installation and hot-swappable battery replacement supported

Package Includes

- SUBF2030 External Battery Frame
- Instruction and installation manual

Description

SUBF2030 is an External Battery Frame for use with select Tripp Lite SmartOnline 20kVA and 30kVA UPS Systems([SU20K3/3](#), [SU20K3/3XR5](#), [SU30K3/3](#) and [SU30K3/3XR5](#)). External Battery Frame supports the installation of up to four [SURBC2030](#) Internal Battery Packs(available separately from Tripp Lite). Modular DC connector enables daisy chaining of multiple SUBF2030 External Battery Frames for extended runtime.

Features

- SUBF2030 External Battery Frame allows users to extend battery runtime for select Tripp Lite SmartOnline 20kVA and 30kVA 3-Phase UPS Systems
- Each SUBF2030 supports up to four [SURBC2030](#) Internal Battery Packs(available separately from Tripp Lite)
- Simple internal battery connections make battery installation and replacement fast and simple
- Internal Battery Packs that are designed for the SUBF2030 are separately fused. This removes shorted Battery Packs from the DC bus and maintains output from remaining Battery Packs

Specifications

OVERVIEW	
Accessories Type	Battery Frame
BATTERY	
DC System Voltage (VDC)	240
PHYSICAL	
Shipping Dimensions (hwd / in.)	27 x 40.5 x 48.4



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Shipping Dimensions (hwd / cm)	68.6 x 102.9 x 122.9
Shipping Weight (lbs.)	92.75
Shipping Weight (kg)	42.1
Unit Dimensions (hwd / in.)	17.5 x 19.5 x 31.7
Unit Dimensions (hwd / cm)	44.5 x 49.53 x 80.5
Unit Weight (lbs.)	71
Unit Weight (kg)	32.2
External Battery Pack Form Factor	Tower
WARRANTY	
Product Warranty Period (Worldwide)	2-year limited warranty

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies:

<http://www.tripplite.com/products/product-certification-agencies>