Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

HellermannTyton
113-00060

For any questions, you can email us directly:
sales@integrated-circuit.com

HellermannTyton

113-00060

Article Number: 113-00060

Screw Mount Tie, 50lb 8.5" Max Bundle Diameter 1.8", 0.2" Fixing Hole, PA66HIRHSUV, Black, 100/pkg

RoHS

Download drawing Download spec sheet

Base Data

Local Order Number	113-00060
Type	T50MRX
Color	Black (BK)
Features and Benefits	• Reinforcement ribs between the screw mount and cable tie head provide additional strength for added bundle stabilty and security. • Simple one piece design for quick and easy installation. • Secures with a screw or bolt.
Product Description	Screw mount cable ties fasten to existing holes to provide a fixing point to secure and route wire and cable bundles.
Short Description	Screw Mount Tie, 50lb 8.5" Max Bundle Diameter 1.8", 0.2" Fixing Hole, PA66HIRHSUV, Black, 100/pkg

Product Dimensions

Minimum Tensile Strength (Imperial)	50.0 lbs
Length L (Imperial)	8.0 "
Length L (Metric)	211.0 mm
Fixation Method	fixing hole
Identification Plate Position	none
Releasable Closure	No
Tie Closure	plastic pawl
Variant	Inside Serrated
Width W (Imperial)	0.2 "
Width W (Metric)	4.7 mm
Height H (Imperial)	0.24 "
Height H (Metric)	6.0 mm
Bundle Diameter Max. (Imperial)	1.8 "
Bundle Diameter Max. (Metric)	45.0 mm
Mounting Hole Diameter D (Imperial)	0.2 "
Mounting Hole Diameter D (Metric)	5.2 mm
Mounting Hole Diameter D Max. (Metric)	5.2 mm
Mounting Hole Diameter D Min. (Metric)	5.2 mm

Logistics and Packaging

Quantity Per	bag
Package Quantity (Metric)	100

Material and Specifications

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL94 HB
ROHS Compliant	Yes

© HellermannTyton 2015