

Excellent Integrated System Limited

Stocking Distributor






Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0877593665](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

10 9 8 7 6 5 4 3 2 1







NOTE:


1. MATERIAL:
HSG & CAP - NYLON
UL 94V-0, COLOUR BLACK
PIN - 0.50 SQ PHOSPHOR BRONZE
2. PLATING:
0.76µm MIN GOLD PLATE AT CONTACT AREA.
TIN PLATE AT SOLDER AREA.
BOTH OVER NICKEL UNDERPLATE
3. PIN PUSHOUT FORCE: 1KG MIN IN EITHER DIRECTION
4. PRODUCT SPEC PS-87761-100 APPLIES.
5. BEND DEPRESSION IS ACCEPTABLE SO LONG AS IT DOES NOT AFFECT THE OVERALL COPLANARITY OF TAIL.
6. COPLANARITY IS TO BE MEASURED BY RESTING THE SOLDER TAIL ON A FLAT SURFACE.
7. CAP TO BE LOCATED AS CENTRAL OF PART AS POSSIBLE TOP SURFACE OF CAP TO BE FLAT FOR THE PURPOSE OF PICK & PLACE BY VACUUM SUCTION NOZZLE.
8. FOR ILLUSTRATION PURPOSES, 12CKT IS SHOWN.
9. CKT 4 & 6 IS CUT FROM CKT 8 & 12 RESPECTIVELY ROUGH EDGES ARE EXPECTED ALONG THE CUTTING EDGES.
10. PART TO BE PACKED IN TRAY 10 ONLY.
11. TUBE LENGTH IS 560MM REF STANDARD.

SEE SHEET 4 EC NO. S2016-0073 DRAWN BY CHKO-CHONG CHKD-CHONG APPR-KHL M 2016/05/19 2016/06/03 2016/06/06	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY	DATE	TITLE		
				4 PLACES	± ---	± ---	KSEE	2003/12/17		MGRID, 2MM DUAL ROW HEADER, SMT
				3 PLACES	± ---	± ---	CHECKED BY	DATE		
				2 PLACES	± 0.20	± ---	KCLING	2004/01/12		
				1 PLACE	± ---	± ---	APPROVED BY	DATE		
				0 PLACE	±	±	SKTOH	2004/01/12		
			ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.			
			DRAFT WHERE APPLICABLE		SEE TABLE		SD-87759-118			
			MUST REMAIN WITHIN DIMENSIONS		SIZE 3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
REV		SHEET NO. 1 OF 4								

9 8 7 6 5 4 3 2 1




PART WITH CAP IN
TUBE ORIENTATION




RECOMMENDED SOLDER PAD LAYOUT

SEE SHEET 4 IEC NO: S2016-1073 DRAWN: EMERLY 2016/05/19 CHKD: SCHEONG 2016/06/03 APPR: KHLIN 2016/06/06 B2	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY	DATE	TITLE			
			 =0	4 PLACES	± ---	± ---	KSEE	2003/12/17		MGRID, 2MM DUAL ROW HEADER, SMT	
			 =0	3 PLACES	± ---	± ---	CHECKED BY	DATE			
			 =0	2 PLACES	± 0.20	± ---	KCLING	2004/01/12			
				1 PLACE	± ---	± ---	APPROVED BY	DATE			
				0 PLACE	±	±	SKTOH	2004/01/12			
				ANGULAR ± 3 °		MATERIAL NO.		DOCUMENT NO.			
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-87759-118			
						SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				


EMBOSSED CARRIER TAPE TYPE "A"



EMBOSSED CARRIER TAPE TYPE "B"




EMBOSSED CARRIER TAPE TYPE "C"



THIS TYPE OF CARRIER IS FOR CKT SIZE 8 AND BELOW.

SEE SHEET 4 EC NO: S2016-1073 DRAWN BY: CHYK-SHEONG CHECKED BY: CHYK-SHEONG APPROVED BY: KILLIN DATE: 2016/05/19 DATE: 2016/06/03 DATE: 2016/06/06 REV: B2	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) 4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.20 ± --- 1 PLACE ± --- ± --- 0 PLACE ± ± ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	DIMENSION STYLE MM ONLY DRAWN BY: KSEE DATE: 2003/12/17 CHECKED BY: KCL ING DATE: 2004/01/12 APPROVED BY: SKTOH DATE: 2004/01/12 MATERIAL NO. SEE TABLE	SCALE NTS DESIGN UNITS METRIC THIRD ANGLE PROJECTION MGRID, 2MM DUAL ROW HEADER, SMT molex DOCUMENT NO. SD-87759-118 SHEET NO. 3 OF 4



	10	9	8	7	6	5		4	3	2	1																																													
	PART NUMBER WITHOUT CAP IN TUBE	PART NUMBER WITH CAP IN TUBE	PART NUMBER WITH CAP IN TAPE AND REEL.	CKT SIZE	A	B	Bo	F	So	W	EMBOSSD TYPE																																													
F	87759-0415 $\triangle_9\triangle_{10}$	87759-0465	87759-0475	4	3.90+0.38	2.00	5.40	11.50	-	24.00	C																																													
	87759-0615 $\triangle_9$	87759-0665	87759-0675	6	5.90+0.38	4.00	7.20	11.50	-	24.00	C																																													
	87759-0815	87759-0865	87759-0875	8	7.90+0.20	6.00	8.20	11.50	-	24.00	C																																													
	87759-1015	87759-1065	87759-1075	10	9.90+0.20	8.00	10.20	11.50	-	24.00	A																																													
	87759-1215	87759-1265	87759-1275	12	11.90+0.20	10.00	12.20	11.50	-	24.00	A																																													
E	87759-1415	87759-1465	87759-1475	14	13.90+0.20	12.00	14.20	11.50	-	24.00	A																																													
	87759-1615	87759-1665	87759-1675	16	15.90+0.20	14.00	16.20	14.20	28.40	32.00	B																																													
	87759-1815	87759-1865	87759-1875	18	17.90+0.20	16.00	18.20	14.20	28.40	32.00	B																																													
	87759-2015	87759-2065	87759-2075	20	19.90+0.20	18.00	20.20	14.20	28.40	32.00	B																																													
	87759-2215	87759-2265	87759-2275	22	21.90+0.20	20.00	22.20	20.20	40.40	44.00	B																																													
	87759-2415	87759-2465	87759-2475	24	23.90+0.20	22.00	24.20	20.20	40.40	44.00	B																																													
D	87759-2615	87759-2665	87759-2675	26	25.90+0.20	24.00	26.20	20.20	40.40	44.00	B																																													
	87759-2815	87759-2865	87759-2875	28	27.90+0.20	26.00	28.20	20.20	40.40	44.00	B																																													
	87759-3015	87759-3065	87759-3075	30	29.90+0.20	28.00	30.20	20.20	40.40	44.00	B																																													
	87759-3215	87759-3265	87759-3275	32	31.90+0.20	30.00	32.20	20.20	40.40	44.00	B																																													
	87759-3415	87759-3465	87759-3475	34	33.90+0.20	32.00	34.20	26.20	52.40	56.00	B																																													
	87759-3615	87759-3665	87759-3675	36	35.90+0.20	34.00	36.20	26.20	52.40	56.00	B																																													
C	87759-3815	87759-3865	87759-3875	38	37.90+0.20	36.00	38.20	26.20	52.40	56.00	B																																													
	87759-4015	87759-4065	87759-4075	40	39.90+0.20	38.00	40.20	26.20	52.40	56.00	B																																													
	87759-4215	87759-4265	87759-4275	42	41.90+0.20	40.00	42.20	26.20	52.40	56.00	B																																													
	87759-4415	87759-4465	87759-4475	44	43.90+0.20	42.00	44.20	26.20	52.40	56.00	B																																													
	87759-4615	87759-4665	87759-4675	46	45.90+0.20	44.00	46.20	26.20	52.40	56.00	B																																													
	87759-4815	87759-4865	87759-4875	48	47.90+0.20	46.00	48.20	26.20	52.40	56.00	B																																													
B	87759-5015	87759-5065	87759-5075	50	49.90+0.20	48.00	50.20	34.20	68.40	72.00	B																																													
A	<table><tr><td rowspan="4">ADD DIM A FOR EC No S2016-1073 DRAWN BY CHKD SCHEUNG APPR KHL M 2016/05/19 2016/06/03 2016/06/06</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE NTS</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="3">$\nabla=0$ $\nabla=0$ $\nabla=0$</td><td>$\nabla=0$</td><td>mm</td><td>INCH</td><td>DRAWN BY DATE</td><td>TITLE</td><td colspan="3" rowspan="2">MGRID, 2MM DUAL ROW HEADER, SMT</td></tr><tr><td>4 PLACES ± --- ± ---</td><td>KSEE 2003/12/17</td></tr><tr><td>3 PLACES ± --- ± ---</td><td>CHECKED BY DATE</td></tr><tr><td>2 PLACES ± 0.20 ± ---</td><td>KCLING 2004/01/12</td><td colspan="3" rowspan="2">molex</td></tr><tr><td>1 PLACE ± --- ± ---</td><td>APPROVED BY DATE</td></tr><tr><td>0 PLACE ± ±</td><td>SKTOH 2004/01/12</td><td colspan="3" rowspan="2">DOCUMENT NO. SD-87759-118</td></tr><tr><td colspan="2">ANGULAR ± 3 °</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE A3</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td>SHEET NO. 4 OF 4</td></tr></table>											ADD DIM A FOR EC No S2016-1073 DRAWN BY CHKD SCHEUNG APPR KHL M 2016/05/19 2016/06/03 2016/06/06	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		$\nabla=0$ $\nabla=0$ $\nabla=0$	$\nabla=0$	mm	INCH	DRAWN BY DATE	TITLE	MGRID, 2MM DUAL ROW HEADER, SMT			4 PLACES ± --- ± ---	KSEE 2003/12/17	3 PLACES ± --- ± ---	CHECKED BY DATE	2 PLACES ± 0.20 ± ---	KCLING 2004/01/12	molex			1 PLACE ± --- ± ---	APPROVED BY DATE	0 PLACE ± ±	SKTOH 2004/01/12	DOCUMENT NO. SD-87759-118			ANGULAR ± 3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 4 OF 4	
ADD DIM A FOR EC No S2016-1073 DRAWN BY CHKD SCHEUNG APPR KHL M 2016/05/19 2016/06/03 2016/06/06	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																
	$\nabla=0$ $\nabla=0$ $\nabla=0$	$\nabla=0$	mm	INCH	DRAWN BY DATE	TITLE	MGRID, 2MM DUAL ROW HEADER, SMT																																																	
		4 PLACES ± --- ± ---	KSEE 2003/12/17																																																					
		3 PLACES ± --- ± ---	CHECKED BY DATE																																																					
2 PLACES ± 0.20 ± ---	KCLING 2004/01/12	molex																																																						
1 PLACE ± --- ± ---	APPROVED BY DATE																																																							
0 PLACE ± ±	SKTOH 2004/01/12	DOCUMENT NO. SD-87759-118																																																						
ANGULAR ± 3 °																																																								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			SHEET NO. 4 OF 4																																																		
	10	9	8	7	6	5		4	3	2	1																																													