

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Phoenix Contact](#)  
[1407671](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

<https://www.phoenixcontact.com/us/products/1407671>



## Cable gland - HC-B-G-M32-PLRBK - 1407671

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

EVO plastic cable gland with bayonet locking; size M32, cable diameter: 11 - 21 mm



### Product description

Plastic cable gland



### Key commercial data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 60.0 GRM |
| Custom tariff number                 | 39269097 |
| Country of origin                    | Poland   |

### Technical data

#### Dimensions

|                         |                       |
|-------------------------|-----------------------|
| Wrench size, union nut  | 30 mm                 |
| External cable diameter | 11 mm ... 21 mm       |
| Conductor sealing range | 14.00 mm ... 21.00 mm |

#### Ambient conditions

|                                 |                       |
|---------------------------------|-----------------------|
| Degree of protection            | IP66 (DIN IEC 60529)  |
|                                 | 4 (UL50e / NEMA 250)  |
|                                 | 4X (UL50e / NEMA 250) |
| Ambient temperature (operation) | -40 °C ... 100 °C     |

#### General

|                              |           |
|------------------------------|-----------|
| Type of the screw connection | 1x M32    |
| Cable gland material         | Polyamide |
| Seal material                | NBR       |
| Cable seal material          | NBR       |

<https://www.phoenixcontact.com/us/products/1407671>



## Cable gland - HC-B-G-M32-PLRBK - 1407671

### Technical data

#### General

|   |         |
|---|---------|
| Thread type on connection side          | Bayonet |
| Tightening torque, union nut            | 7.50 Nm |
| Inflammability class according to UL 94 | V0      |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 27141209 |
| eCl@ss 4.1 | 27141209 |
| eCl@ss 5.0 | 27149109 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27149109 |
| eCl@ss 7.0 | 27149109 |
| eCl@ss 8.0 | 27149109 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000441 |
| ETIM 4.0 | EC000441 |
| ETIM 5.0 | EC000441 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261502 |
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11     | 31261502 |
| UNSPSC 12.01  | 31261502 |
| UNSPSC 13.2   | 31261502 |


### Drawings

<https://www.phoenixcontact.com/us/products/1407671>



## Cable gland - HC-B-G-M32-PLRBK - 1407671

Dimensioned drawing



Dimensional drawing

© Phoenix Contact 2013 - all rights reserved

<http://www.phoenixcontact.com>