

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Thomas Research Products](#)
[Z5-SW-GAV](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Zone5™ Low Voltage Switches

DAYLIGHTING CONTROLS

TITLE
24
COMPLIANCE
Zone5


Z5-SW-GAV

Z5-SW-MC

PROJECT INFORMATION

Project Name _____

Catalog No. _____

Date _____

The Zone5 Low Voltage Wall Switches provide manual control of the Zone5 Daylight Harvesting System. The Zone5 system consists of two types of switches – Lighting Control Switches and Master/Row Control Switches.

The Lighting Control Switches include a General – A/V switch that enables users to switch between General Lighting and Audio Visual Lighting, a General – A/V lighting dimming switch that raises and lowers light levels in both modes, a whiteboard lighting switch that can control up to two independent whiteboard lights, and a Study Time switch that provides uninterrupted lighting during periods of low activity. The Master/Row Control Switches include a Master ON/OFF switch that turns all lighting ON or OFF, and individual Row (1 – 4) ON/OFF switches that control each row of lighting individually. All Zone5 switches are color coded and provide CAT5 plug and play installation to the Zone5 Control Module

PRODUCT FEATURES

- Supports up to 4 zones of lighting control
- Attractive, architecturally-pleasing decorator style design
- General- AV lighting control with optional dimming
- Whiteboard lighting control
- Master and individual row ON/OFF control
- Color-coded plug and play installation
- All switches mount to standard wall boxes
- Multi-gang wall plates available
- Five-year limited warranty
- Low voltage device: 24 Vdc

Fits Standard
Decorator Style
Wallplate
(sold separately)



Z5-SW-AVD


HUBBELL
Control Solutions

General Specifications

Power Requirements	Each switch: 100mA @ 30VDC Max – Provided by Zone5 low voltage color coded plug and play cable (ordered separately)
	Master/Row control switches: Use with yellow cable
	Lighting Control Switches: Use with blue cable
Operating environment	Indoor use only Operating temperature: 32° to 122°F (0° to 50°C) Relative humidity (non-condensing): 10% to 90%
Construction	Housing – Rugged, high-impact, injection-molded plastic
Dimensions	4.2" L x 1.6" W x 1.4" D
Color	Weight: 1.6 oz
Mounting	White
	Switches may be mounted individually in a single gang switch box or ganged together in a multi-gang switch box
	<i>NOTE: When ganging multiple switches make sure the switches are of the same color-coded type.</i>
	<i>Decorator-style wall plates available separately</i>
Warranty	Five years

Ordering Information

<input type="text"/>	<input type="text"/>	<input type="text"/>
MODEL	SWITCH TYPE	SWITCH TYPE
Z5-SW-GAV Zone5 General - A/V Mode Switch, White	Z5-SW-MC Zone5 Master ON/OFF Switch, White	Z5-WP-1G-WH Zone5 Wall Switch Plate, Decorator Style, 1-gang, White
Z5-SW-AVD Zone5 General - A/V Dimming Switch, White	Z5-SW-RCR1 Zone5 Row 1 Control Switch, White	Z5-WP-2G-WH Zone5 Wall Switch Plate, Decorator Style, 2-gang, White
Z5-SW-ST Zone5 Study Time Switch, White	Z5-SW-RCR2 Zone5 Row 2 Control Switch, White	Z5-WP-3G-WH Zone5 Wall Switch Plate, Decorator Style, 3-gang, White
Z5-SW-WB Zone5 Whiteboard Switch, White	Z5-SW-RCR3 Zone5 Row 3 Control Switch, White	Z5-WP-4G-WH Zone5 Wall Switch Plate, Decorator Style, 4-gang, White
CAT5-50F-BL Zone5 Cable for Lighting Control Switches, 50ft, Blue	Z5-SW-RCR4 Zone5 Row 4 Control Switch, White	Z5-WP-5G-WH Zone5 Wall Switch Plate, Decorator Style, 5-gang, White
CAT5-100F-BL Zone5 Cable for Lighting Control Switches, 100ft, Blue	CAT5-50F-YL Zone5 Cable for Master/Row Control Switches, 50ft, Yellow	
CAT5-3IN-BL Zone5 Jumper Cable for Lighting Control Switches, 3 inches, Blue	CAT5-100F-YL Zone5 Cable for Master/Row Control Switches, 100ft, Yellow	
	CAT5-3IN-YL Zone5 Cable for Master/Row Control Switches, 3 inches, Yellow	



HUBBELL
Control Solutions