

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Johanson Technology Inc.](#)
[2450BP39D100E](#)

For any questions, you can email us directly:
sales@integrated-circuit.com

High Frequency Ceramic Solutions

2.45 GHz Band Pass Filter **P/N 2450BP39D100E**
 Detail Specification: 3/29/2012 Page 1 of 2

General Specifications

Part Number	2450BP39D100E	
Frequency (MHz)	2400 - 2500	
Insertion Loss	1.2 dB max.	
Return Loss	9.5 dB min.	
Attenuation (min.)	880 ~ 915MHz	30 dB
Attenuation (min.)	1710 ~ 1785MHz	30 dB
Attenuation (min.)	1850 ~ 1910MHz	25 dB
Attenuation (min.)	2700MHz	2 dB
Attenuation (min.)	4800 ~ 5000MHz	25 dB
Attenuation (min.)	7200 ~ 7500MHz	15 dB

Input Power	500 mW max.
Impedance	50 Ω
Reel Quantity	3,000
Operating Temperature	-40 to +85°C
Recommended Storage Conditions	+5 to +35°C, Humidity 45-75%RH, 18 mos. max*

*18 months in vacuum sealed bag and 1 week after opened. Go to: www.johansontechnology.com/silverleads for details

Terminal Configuration

No.	Function
1	GND
2	OUT
3	GND
4	IN

Mechanical Dimensions

	In	mm
L	0.098 ± 0.008	2.50 ± 0.20
W	0.079 ± 0.008	2.00 ± 0.20
T	0.037 ± 0.004	0.95 ± 0.10
a	0.012 ± 0.008	0.30 ± 0.20
b	0.024 ± 0.008	0.60 ± 0.20
c	0.012 ± 0.008	0.30 ± 0.20

Mounting Considerations

Mount these devices with brown mark facing up.
 * Line width should be designed to provide 50 Ω impedance matching characteristics.
 Units: mm

Johanson Technology, Inc. reserves the right to make design changes without notice.
 All sales are subject to Johanson Technology, Inc. terms and conditions.

High Frequency Ceramic Solutions


2.45 GHz Band Pass Filter

P/N 2450BP39D100E


Detail Specification: 3/29/2012

Page 2 of 2

Typical Electrical Performance (T=25°C)



P/N	Packaging Style	Bulk	Suffix = S	Eg. 2450BP39D100ES
		T & R (3000pcs)	Suffix = E	Eg. 2450BP39D100EE
Suffix	Termination Style	AgPt	Suffix = None	Eg. 2450BP39D100E(E or S)
	Evaluation Board	2450BP39D100E-EB-SMA		



Johanson Technology, Inc. reserves the right to make design changes without notice.
 All sales are subject to Johanson Technology, Inc. terms and conditions.