

Excellent Integrated System Limited

Stocking Distributor


Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)

[0011402158](#)

For any questions, you can email us directly:

sales@integrated-circuit.com



Application Tooling

PERISHABLE TOOLING FOR: T-8367-B (32 - 36 AWG)

11-40-2158

Rev. A




TERMINAL # X41951			
Order #	Engr.#	Req.	Description
11-40-4386	8341-12	1	Conductor Punch
11-40-4387	8341-13	1	Combination Anvil
11-40-4388	8341-14	1	Insulation Punch
11-24-1105	6116-1	1	Cut-Off Plunger, Front
11-40-4779	8367-5	1	Cut-Off Blade
11-40-4379	8341-5	1	Cut-Off Plunger, Rear
11-40-3153	K8367-B	Tool kit complete (ALL ABOVE ITEMS)	
SPECIFICATIONS			
INSULATION DIA. (MAX.)		.025 (.635MM)	WIRE STRIP LENGTH
			.125 - .140 (3,17 - 3,56MM)
WIRE GA.	CONDUCTOR CRIMP HEIGHT		PULL OFF FORCE
32 - 36	.026 - .027 (0,66 - 0.69MM)		1# (0.45 kg)

- CUSTOMER LOG FOR MACHINE SETTINGS -

WIRE GA.	WIRE SETTING	INSULATION DIA./COLOR	INSUL. SETTING	FEED POSITION

WE RECOMMEND THAT AN EXTRA SET OF PERISHABLE TOOLING FOR THIS TERMINATOR BE MAINTAINED IN YOUR FACTORY.

PART NO. 11-40-2158
 ENG NO. T-8367-B



EPD NO.	ITEM SIZE	ENG. NO.	PARTS LIST
11-40-4380	1	8341-6	CUT OFF
11-40-4134	2	8361-4	SPRINGER
11-40-4172	3	8361-5	TERMINAL
11-40-4383	4	8341-9	WIPE STOP
11-40-4135	5	8367-2	REAR CO
11-40-4136	6	8367-1	TERMINAL
11-40-4069	7	8302-103	PIVOT PIN
11-40-4193	8	8326-19	STOP FIN
11-40-4145	9	8302-111	TORSION
11-40-4068	10	8302-102	DRAG FIN
11-40-4144	11	8302-110	TORSION
11-40-4039	12	8302-5	PUNGER
11-24-1067	13	4996-4	CUT OFF
11-40-4172	14	8303-2	C/O PLUN
11-24-1079	15	4996-11	SPRING B
11-17-0022	16	1/239-21	TERMINAL
11-40-4137	17	8367-3	SPRING F
	18		9/64 Φ ST
	19		#5-40 X
	20		#6-32 X
	21		#8-32 X
	22		#8-32 X
	23		#8-32 X
	24		#10-32 X
	25		#10-32 X
	26		#10-32 X

EPD NO.	ITEM SIZE	ENG. NO.	PARTS LIST
11-40-4386	27	8341-12	CONDUCT
11-40-4387	29	8341-13	COMBI
11-40-4388	29	8341-14	INSULAT
11-24-1105	31	6116-1	CUT OFF
11-40-4172	32	8361-5	CUT OFF
11-40-4379	33	8341-5	CUT OFF
11-40-3151		R-8367-B	TOOL NT

REV	DATE	DESCRIPTION
1	11/11/98	INITIAL RELEASE
2	11/11/98	REVISIONS