

# **Excellent Integrated System Limited**

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

Molex Connector Corporation 0640081270

For any questions, you can email us directly: sales@integrated-circuit.com



## Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0640081270 - DIN HEX CRIMP KIT

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Crimp Tool kit for 150mm<sup>2</sup> Compression Lugs (14mm wide)

Modular Crimp Tooling Kit Compression Lug (Tool code 22) (14mm wide)



# **Application Tooling Specification Sheet**



Order No. 64008-1270

#### **SCOPE**

Tooling: The Square "DIN" style die sets are used with two machines and each machine requires an adapter for the square "DIN" dies. The Molex UP60, order number 63801-8900 will process the square "DIN" style die sets with the 63801-8901 adapter. The Molex 12 ton battery crimp tool, order number 63816-1000 will process the square "DIN" style die sets with the 63816-1100 adapter. Refer to the appropriate crimper instruction manual for installation and operation information.


<u>Products</u>: Metric Compression Lug Terminals and Splices 150mm<sup>2</sup> (300 MCM). Refer to the Product part number charts on this sheet for terminals with the barrel and tongue styles listed above.

#### **TESTING**

The tensile test or pull test is a means of evaluating the mechanical properties of the crimped connections. The following chart shows the UL specifications for the equivalent AWG wire size. The tensile strength is shown in Newtons & (pounds) and indicates the minimum acceptable force to break or separate the terminal from the conductor.

Wire Size (mm²)	Wire Size (AWG)	Tensile (UL - 486 A)
150	300 MCM	2448 (550)

\*UL - 486 A – Lugs (to AWG wire) (Copper Conductors only)



Use gauge pins or soft metal slug (solder) method to measure the "X" dimension. Verify the tooling crimp height calibration by referring to the Go/No Go dimensions shown in the chart below.

Molex does not sell gauge pins. Contact your local industrial supplier.

	Wire Range		"X" Dimension Conductor Crimp					
Tool Code			Mean		Go		No Go	
	mm²	AWG	ln	mm	ln	mm	ln	mm
22	150	300 MCM	.717	18.20	.713	18.10	.721	18.30

The following is a Partial List of the Product Part Numbers and their specifications that this tooling is designed to crimp. We will be adding to this list and an up to date copy is available on www.molex.com.

Doc No: ATS-640081270 Release Date: 11-03-13 **UNCONTROLLED COPY** Page 1 of 2 Revision: A Revision Date: 11-03-13



# Distributor of Molex Connector Corporation: Excellent Integrated System Limited

Datasheet of 0640081270 - DIN HEX CRIMP KIT

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Crimp Tool kit for 150mm<sup>2</sup> Compression Lugs (14mm wide)


Wire Size:150mm² (300 MCM)					
Terminal No.	Terminal	Wire Strip Length (Minimum)			
Terminal No.	Eng No. (REF)	Wire Strip Ler   In   1.38     5   1.38     1.	mm		
19322-0030	BCLM-10-150-PL	1.38	35.0		
19322-0063	BCLM-10-150-PLS	1.38	35.0		
19322-0031	BCLM-12-150-PL	1.38	35.0		
19322-0064	BCLM-12-150-PLS	1.38	35.0		
19322-0032	BCLM-16-150-PL	1.38	35.0		
19322-0065	BCLM-16-150-PLS	1.38	35.0		
19322-0033	BCLM-20-150-PL	1.38	35.0		
19322-0066	BCLM-20-150-PLS	1.38	35.0		

**CAUTION**: Install only Molex terminals listed above with this kit. Do not crimp hardened objects as damage can occur to the tool or die.

**CAUTION**: Molex specifications are valid only when used with Molex tooling.

### **PARTS LIST**

Item Number	Order Number	er Number Description	
	64008-1270	Crimp Tooling Kit – 150mm <sup>2</sup> Un-insulated	REF
1	64008-1201	Hex Crimp Die (matched pair)	2



Visit our Web site at http://www.molex.com

Doc No: ATS-640081270 Release Date: 11-03-13 Revision: A Revision Date: 11-03-13