

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[1813150000](#)

For any questions, you can email us directly:
sales@integrated-circuit.com


General ordering data

| | |
|------------------|---|
| Order No. | 1813150000 |
| Part designation | SFC 0/12 NEUTRAL RT |
| Version | Conductor markers, L x W: 12 x 4 mm, Polyamide, red |
| EAN | 4032248296798 |
| Qty. | 200 pc(s). |

Markings

| | |
|--|-----------------------------|
| Cadmium | no |
| Can be labelled with thermal transfer printers | No |
| Can be printed with plotter | Yes |
| Can be written with dot-matrix printer | No |
| Can be written with laser printer | No |
| Conductor O.D., max. | 2.5 mm |
| Conductor O.D., min. | 1.5 mm |
| Conductor cross-section, max. | 1 mm ² |
| Conductor cross-section, min. | 0.5 mm ² |
| Function | Conductor and cable markers |
| Halogen | no |
| Height | 5 mm |
| Insulation cross-section, max. | 2.5 mm |
| Length | 12 mm |
| Material | Polyamide |
| Material colour | red |
| Material colour according to resistance code | 2 |
| Max. temperature, continuous | 100 °C |
| Min. temperature, continuous | -40 °C |
| Pin can be written (STI) | Yes |
| PrintJet | Yes |
| Printed characters | without |
| Silicone | no |
| Speed marking laser | Yes |
| Type of printing | Neutral |
| UL 94 flammability class | V2 |

Product catalogue | Installation Products | Markings | Conductor and cable markers | Conductor markers 0,22 - 500 mm² | MultiCard > 0,22 - 16 mm² | SlimFix Clip 0,5 - 4 mm² | Blank | SFC 12 mm | rot

Markings

Width 4 mm

Approvals

Approvals institutes n.a.

Classifications

| | |
|------------|-------------|
| ETIM 2.0 | EC001530 |
| ETIM 3.0 | EC001530 |
| eClass 4.1 | 24-19-02-19 |
| eClass 5.0 | 27-14-91-03 |
| eClass 5.1 | 27-14-91-03 |

Similar products

| Order No. | Part designation | Version |
|------------|---------------------|---|
| 1747320003 | SFC 1/12 NEUTRAL RT | Conductor markers, L x W: 12 x 4 mm, Polyamide, red |
| 1758320003 | SFC 2/12 NEUTRAL RT | Conductor markers, L x W: 12 x 4 mm, Polyamide, red |
| 1025240000 | SFC 3/12 MC NE RT | Conductor markers, L x W: 12 x 4 mm, Polyamide, red |