Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

<u>Tripp Lite</u> <u>P036-002-6</u>

For any questions, you can email us directly: sales@integrated-circuit.com





Tripp Lite

1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

Heavy-Duty Power Extension Cord, 20A, 12AWG (IEC-320-C19 to IEC-320-C20), 6-pack, 2-ft.

MODEL NUMBER: P036-002-6





Highlights

- C19 to C20 Power Cord, 2 ft., 6-Pack
- 12AWG x 3C, 20 Amp Rated
- RoHS Approved

Package Includes

• (x6) C19 to C20 Power Cords, 2 ft.

Description

Clean up your racks and cabinets with Tripp Lite's P036-002-6 6-pack of 2 ft., C19 to C20 heavy duty power cords. Constructed of 12AWG wire, these cables are 20-Amp rated, 250V - ideal for use with Blade Server Chassis.

Features

- Molded, Heavy-Duty Power Cord, 2 ft., 6-Pack
- IEC-60320-C19 to IEC-60320-C20
- 12AWG x 3C, SJTW, 20A, 250Volt
- RoHS Approved

Specifications

| INPUT | | |
|----------------------|-------------|--|
| Cable Length (ft.) | 2 | |
| Cable Length (m) | 0.6 | |
| PHYSICAL | | |
| Color | Black | |
| CONNECTIONS | | |
| Side A - Connector 1 | IEC-320-C20 | |
| Side B - Connector 1 | IEC-320-C19 | |





Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| WARRANTY | |
|-------------------------------------|---------------------------|
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: http://www.tripplite.com/products/product-certification-agencies