

## Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[9025780000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



#### General ordering data

Order No.	9025780000
Part designation	H0,25/12 HBL SV
Version	Wire-end ferrule, 0.25 mm <sup>2</sup> , 8 mm, Colour code: Weidmüller, light blue
EAN	4008190053239
Qty.	500 pc(s).

#### Technical data

Length	12 mm
Width	2.25 mm
Height	2.25 mm

#### Product data

Conductor rated cross-section	0.25 mm <sup>2</sup>
AWG	24
Total length (L1)	12 mm
Contact surface length (L2)	8 mm
Contact surface diameter (D1)	0.8 mm
Collar diameter (D2)	1.8 mm
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.25 mm

#### Approvals

Approvals institutes



#### Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

#### Classifications

eClass 5.1 27-40-02-01

#### Similar products

Order No.	Part designation	Version
9026050000	H0,25/10 HBL SV	Wire-end ferrule, 0.25 mm <sup>2</sup> , 6 mm, Colour code: Weidmüller, light blue
9021210000	H0,25/10T GE SV	Wire-end ferrule, 0.25 mm <sup>2</sup> , 6 mm, Colour code: Miscellaneous, yellow
9021220000	H0,25/12T GE SV	Wire-end ferrule, 0.25 mm <sup>2</sup> , 8 mm, Colour code: Miscellaneous, yellow