


## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[9018580000](#)

For any questions, you can email us directly:  
[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



#### General ordering data

Order No.	9018580000
Part designation	H2,5/18.5T ZH GR SV
Version	Wire end ferrule, 2.5 mm <sup>2</sup> , 10 mm, Colour code: Miscellaneous, grey
EAN	4008190272647
Qty.	250 pc(s).

#### Technical data

Length	18.5 mm
Width	5 mm
Height	8.5 mm

#### Product data

Conductor rated cross-section	2.5 mm <sup>2</sup>
AWG	14
Total length (L1)	19 mm
Contact surface length (L2)	10 mm
Collar height (A)	8 mm
Collar width (B)	4.5 mm
Contact surface diameter (D1)	2.8
Metal sleeve thickness (S1)	0.15 mm
Plastic collar thickness (S2)	0.4 mm

#### Approvals

Approvals institutes



#### Classifications

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01

**Classifications**

eClass 5.0	27-40-02-01
eClass 5.1	27-40-02-01

**Similar products**

Order No.	Part designation	Version
9004430000	H2,5/18,5D ZH BL SV	Wire end ferrule, 2.5 mm <sup>2</sup> , 10 mm, Colour code: DIN, Blue
9005150000	H2,5/20,5 T ZH GR SV	Wire end ferrule, 2.5 mm <sup>2</sup> , 12 mm, Colour code: Miscellaneous, grey
9004740000	H2,5/20,5D BL ZH SV	Wire end ferrule, 2.5 mm <sup>2</sup> , 12 mm, Colour code: DIN, Blue