

## Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[9021200000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)


**General ordering data**

Order No.	9021200000
Part designation	H25,0/36T SW
Version	Wire-end ferrule, 25 mm <sup>2</sup> , 22 mm, Colour code: Miscellaneous, black
EAN	4008190055400
Qty.	50 pc(s).

**Technical data**

Length	36 mm
Width	12 mm
Height	12 mm

**Product data**

Conductor rated cross-section	25 mm <sup>2</sup>
AWG	3
Total length (L1)	36 mm
Contact surface length (L2)	22 mm
Contact surface diameter (D1)	7.3 mm
Collar diameter (D2)	11.2 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.4 mm

**Approvals**

Approvals institutes


**Classifications**

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01
eClass 5.0	27-40-02-01

### Classifications

eClass 5.1

27-40-02-01

### Similar products

Order No.	Part designation	Version
0317000000	H25,0/30 BR	Wire-end ferrule, 25 mm <sup>2</sup> , 16 mm, Colour code: Weidmüller, brown
9019280000	H25,0/30D 16 GE	Wire-end ferrule, 25 mm <sup>2</sup> , 16 mm, Colour code: DIN, yellow
9021190000	H25,0/30T SW	Wire-end ferrule, 25 mm <sup>2</sup> , 16 mm, Colour code: Miscellaneous, black
0317100000	H25,0/36 BR	Wire-end ferrule, 25 mm <sup>2</sup> , 22 mm, Colour code: Weidmüller, brown
9019300000	H25,0/36D GE	Wire-end ferrule, 25 mm <sup>2</sup> , 22 mm, Colour code: DIN, yellow