

## Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[9018590000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)


**General ordering data**

Order No.	9018590000
Part designation	H4,0/22T ZH OR SV
Version	Wire end ferrule, 4 mm <sup>2</sup> , 12 mm, Colour code: Miscellaneous, Orange
EAN	4008190272654
Qty.	100 pc(s).

**Technical data**

Length	22 mm
Width	5.8 mm
Height	9.6 mm

**Product data**

Conductor rated cross-section	4 mm <sup>2</sup>
AWG	12
Total length (L1)	22 mm
Contact surface length (L2)	12 mm
Collar height (A)	9 mm
Collar width (B)	5.2 mm
Contact surface diameter (D1)	3.5 mm
Metal sleeve thickness (S1)	0.2 mm
Plastic collar thickness (S2)	0.5 mm

**Approvals**

Approvals institutes


**Classifications**

ETIM 2.0	EC000005
ETIM 3.0	EC000005
eClass 4.1	27-06-07-01

#### Classifications

eClass 5.0	27-40-02-01
eClass 5.1	27-40-02-01

#### Similar products

Order No.	Part designation	Version
9004730000	H4/22D ZH GR SV	Wire end ferrule, 4 mm <sup>2</sup> , 12 mm, Colour code: DIN, grey