

## Excellent Integrated System Limited



Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)  
[0342500000](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)



#### General ordering data

Order No.	0342500000
Part designation	KLIPPON K6
Version	Housings, 100 mm, 160 mm, 200 mm, Aluminium alloy (AlSi12)
EAN	4008190059804
Qty.	1 pc(s).

#### Dimensions

Fixing dimension, width	180 mm
Height	100 mm
Length	160 mm
Width	200 mm

#### General details

Cover fixing	M5 screws, captive
Enclosure fixing	Holes 6 mm
Integral fixing	Threaded holes M5
Resistance to shocks	10 J
Sealing material	Neoprene
Version cover	closed
Surface finish	untreated
Class of protection to EN 60529	IP 66 and IP 67
Weight	2,000 g
Ambient temperature, min.	-30 °C
Ambient temperature, max.	80 °C

#### Screwed cable glands top/bottom

M 12	17
M 16	12
M 20	7
M 25	4
M 32	3
M 40	2
Side of enclosure	Top / Bottom

**Screwed cable glands top/bottom**

**Screwed cable glands, left/right**

M12	6
M16	6
M20	3
M25	2
M32	2
M40	1
On housing side	left / right

**Approvals**

Approvals institutes



**Classifications**

ETIM 2.0	EC000058
ETIM 3.0	EC000058
eClass 4.1	27-14-12-06
eClass 5.0	27-14-91-07
eClass 5.1	27-14-91-07

**Similar products**

Order No.	Part designation	Version
9529240000	KLIPPON K6 RAL7001	Housings, 100 mm, 160 mm, 200 mm, Aluminium alloy (AlSi12)