

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[1630150001](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


General ordering data

Order No.	1630150001
Part designation	KSW 4 16/3,5 1-16
Version	Connector markers, L x W: 56 x 4 mm, Polyester, PVC-free, white
EAN	4008190214555
Qty.	10 pc(s).

Markings

Adhesive	Acrylate
Can be labelled with thermal transfer printers	No
Can be printed with plotter	No
Can be written with dot-matrix printer	No
Can be written with laser printer	No
Colour of printing	black
Function	Device and installation markers
Length	56 mm
Material	Polyester, PVC-free
Material colour	white
Material colour according to resistance code	9
Max. temperature, continuous	150 °C
Min. temperature, continuous	-40 °C
No. per sheet	20 pcs
Orientation of print	horizontal
Pin can be written (STI)	No
Pitch	3.5 mm
PrintJet	No
Printed characters	Numbers
Printing method	Thermotransfer
Speed marking laser	No
Type of printing	Standard
Width	4 mm

Approvals

Approvals institutes	n.a.
----------------------	------

Approvals

Classifications

ETIM 2.0	EC000761
ETIM 3.0	EC000761
eClass 4.1	24-19-02-19
eClass 5.0	27-14-11-37
eClass 5.1	27-14-11-37

Similar products

Order No.	Part designation	Version
1630190001	KSW 4 8/3,5 1-8	Connector markers, L x W: 28 x 4 mm, Polyester, PVC-free, white
1640410001	KSW 4 24/3,5 W 1-24	Connector markers, L x W: 84 x 4 mm, Polyester, PVC-free, white