



Distributor of FCI: Excellent Integrated System Limited

Datasheet of YK51202330J0G - Connector Barrier Block Strip 2 Circuit 0.374" (9.50mm)

Contact us: sales@integrated-circuit.com Website: www.integrated-circuit.com

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:



[FCI](#)

[YK51202330J0G](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER	PITCH
YK512xx3x0J0G	9.50 mm



MATERIALS & ELECTRICAL
 RATED VOLTAGE & CURRENT: 300 V, 30A
 WITHSTAND VOLTAGE: AC 2000 V/Min
 INSULATION RESISTANCE: 1000 MΩ OR MORE AT DC 500 V
 OPERATING TEMPERATURE RANG: -40 °C ~ +115 °C
 SCREW TORQUE VALUE: 8.8 Lb-In.
 WIRE RANGE: 10-22 AWG
 1) HOUSING: Thermoplastic, UL 94 V-0 BLACK
 2) TERMINAL: BRASS, 0.8t
 3) TERMINAL SCREWS: STEEL, M3.5
 APPROVAL: us

DIMENSION

Dim A	(N+2)×9.5+2.0
Dim B	(N-1)×9.5
Dim C	(N+1)×9.5

N=Number of poles

Poles	Tolerance
2p-3p	±0.30
4p-12p	±0.40
13p-30p	±0.60

PART NO.: YK 512xx 3 x 0 J0G

No. of poles	Code	Terminal	Screw	Plated
02 2 poles	0	G/F	G/F	RoHS compliant (lead<4%) In copper Alloy
03 3 poles	1	G/F	Zinc	
...	2	Tin	G/F	
30 30 poles	3	Tin	Zinc	

mat'l. code	surface ASME Y14.5 ✓	tolerance ASME Y14.5	projection 	product family TERMINAL BLOCK
ltr	ecn	no	dr	date
tolerances unless otherwise specified			MM	title TERMINAL BLOCK
angles	X.±0.5			BARRIER TYPE, WITH FLANGE
X'±1'	X.X±0.3			scale
dr	EVAN LU	061314		FCI
enfr	EVAN LU	061314		dwg no
chr	HANKE FENG	061314		sheet 1 of 1
appd	SHI JUN	061314		size A4
sheet index	revision sheet	A 1		type CUSTOMER Drawing