

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[ASSMANN WSW Components](#)

[AK-300116-050-S](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Signature Sean	Revision History For Bulk Production	Date Jun.17.2015	Rev. 01
-------------------	---	---------------------	------------



NOTE:


1. UL2725 [28AWG(7/0.127TC)*1P+D(7/0.127TC)+Al-Mylar]*2C+28AWG(7/0.127TC)*1P+AL +24AWG(7/0.203 TC)*2C+Al-Mylar+DW(7/0.127TC)+Braid(Al85% Coverage)
- OD=5.5±0.2mm Jacket Color: Black
- CABLE MUST PRINT: E***** AWM STYLE 2725 80C 30V VW-1 SUPER HIGH SPEED USB Revision 3.0
2. CONNECTOR P1:USB3.0 A MALE SOLDER,BLUE INSULATION, NI Plated Shell,Pin Gold Plated 5u"
3. CONNECTOR P2:MICRO USB3.0 BM SOLDER,BLUE INSULATION, NI Plated Shell,Pin Gold Plated 5u"
4. Internal Molding transparent PE material
5. Outside Molding 45P PVC Color:Black

- (1)100% OPEN SHORT & MIS WIRE TEST.
- (2)CONTACT RESISTANCE 2 ohm Max .
- (3)INSULATION RESISTANCE 10M ohm Min .
- (4)HI-POT TEST:DC 300V/10ms

Pin Assignment

Conn.1	Conn.2
1 RED	1
2 WHITE	2
3 GREEN	3
	4 NC
4 BLACK	5
5 ORANGE	6
6 Purple	7
7 Drain	8
8 Drain	9
9 BLUE	10
10 YELLOW	
Shell	Shield

Cross Section:



	Date	Name	Part No.
Drawn by	Jun.17.2015	Sean	AK-300116-050-S
Checked by	Jun.17.2015	Joe	EAN:4016032283317
Approved by	Jun.17.2015	Andy	Title
ASSMANN Electronic GmbH			USB3.0 A Male TO MICRO BM 3M
			Scale Unit

80218

1

2

3

4

5

6

7

Package Details

RoHS Compliant

Single Cable

Single Cable



P/N	Cable Length	Rolling Size (Single Cable)	Polybag Type (Single Cable)	Bag Size (Single Cable)	Article Weight (Single Cable)
AK-300116-050-S	5.0m	mm max.	Ordinary Polybag (Heat Sealed)	245*185*0.11mm	kg

Inner Packing Unit




P/N	Cable Length	Quantity (Inner Packing Unit)	Type (Inner Packing Unit)	Size (Inner Packing Unit)	Weight (Inner Packing Unit)
AK-300116-050-S	5.0m	10 pcs	Polybag (Heat Sealed)	400*350*0.06MM	kg

CARTON DETAILS

P/N	Cable Length	Quantity (Carton)	Measurement (Carton)	N.W. (Carton)	G.W. (Carton)
AK-300116-050-S	5.0m	100pcs	cm	kg	kg



HEAT SEALED



Date	Name	Part No.
Drawn by Jun.17.2015	Sean	AK-300116-050-S EAN:4016032283317
Checked by Jun.17.2015	Joe	
Approved by Jun.17.2015	Andy	
ASSMANN Electronic GmbH		Title
		USB3.0 A Male TO MICRO BM 3M
Scale Unit	N/A MM	Sheet 2/2

- * "ROTTERDAM" is for Sea Freight shipment
- * "COLOGNE" is for Air Freight shipment
- * "LUDENSCHIED" is for Fedex or UPS shipment

80218

1

2

3

4

5

6

7