

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Weidmüller](#)
[1579010000](#)

For any questions, you can email us directly:

sales@integrated-circuit.com


General ordering data

Order No.	1579010000
Part designation	WQB B/2
Version	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 2
EAN	4008190021696
Qty.	50 pc(s).

Additional technical data

Explosion-tested version "Ex e"	No
Installation advice	Direct mounting

Cross-connector

Height	12 mm
No. of cross-connected terminals	2
Pitch	5.1 mm
Rated current, multi-pole	24 A
Rated voltage	0 V
Type	Cross-connector
Type of fixing	Screwed
Function	Cross-connector
No. of poles	2

Rating data

Rated voltage	0 V
---------------	-----

Approvals

Approvals institutes	n.a.
----------------------	------

Classifications

eClass 4.1	27-14-11-99
eClass 5.0	27-14-11-40
eClass 5.1	27-14-11-40

Similar products

Order No.	Part designation	Version
1579020000	WQB B/3	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 3
1579030000	WQB B/4	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 4
1579040000	WQB B/6	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 6
1579050000	WQB B/10	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 10
1579060000	WQB B/24	Cross-connector / link for modular terminal, Cross-connector, No. of poles: 24