

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0039306222](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

13	12	11	10	9	8	7	6	5	4	3	2	1
39-29-5247	5566-24APB-2 IO	39-30-9245	5566-24AGS2-2 IO	39-29-6248	5566-24AGS-2 IO	39-30-6242	5566-24AS-2 IO	39-28-8240	5566-24A-2 IO			24
↑ -5227	↑ -22APB-2 IO	↑ -9225	↑ -22AGS2-2 IO	↑ -6228	↑ -22AGS-2 IO	↑ -6222	↑ -22AS-2 IO	↑ -8220	↑ -22A-2 IO			22
↑ -5207	↑ -20APB-2 IO	↑ -9205	↑ -20AGS2-2 IO	↑ -6208	↑ -20AGS-2 IO	↑ -6202	↑ -20AS-2 IO	↑ -8200	↑ -20A-2 IO			20
↑ -5187	↑ -18APB-2 IO	↑ -9185	↑ -18AGS2-2 IO	↑ -6188	↑ -18AGS-2 IO	↑ -6182	↑ -18AS-2 IO	↑ -8180	↑ -18A-2 IO			18
↑ -5167	↑ -16APB-2 IO	↑ -9165	↑ -16AGS2-2 IO	↑ -6168	↑ -16AGS-2 IO	↑ -6162	↑ -16AS-2 IO	↑ -8160	↑ -16A-2 IO			16
↑ -5147	↑ -14APB-2 IO	↑ -9145	↑ -14AGS2-2 IO	↑ -6148	↑ -14AGS-2 IO	↑ -6142	↑ -14AS-2 IO	↑ -8140	↑ -14A-2 IO			14
↑ -5127	↑ -12APB-2 IO	↑ -9125	↑ -12AGS2-2 IO	↑ -6128	↑ -12AGS-2 IO	↑ -6122	↑ -12AS-2 IO	↑ -8120	↑ -12A-2 IO			12
↑ -5107	↑ -10APB-2 IO	↑ -9105	↑ -10AGS2-2 IO	↑ -6108	↑ -10AGS-2 IO	↑ -6102	↑ -10AS-2 IO	↑ -8100	↑ -10A-2 IO			10
↑ -5087	↑ -08APB-2 IO	↑ -9085	↑ -08AGS2-2 IO	↑ -6088	↑ -08AGS-2 IO	↑ -6082	↑ -08AS-2 IO	↑ -8080	↑ -08A-2 IO			8
↑ -5067	↑ -06APB-2 IO	↑ -9065	↑ -06AGS2-2 IO	↑ -6068	↑ -06AGS-2 IO	↑ -6062	↑ -06AS-2 IO	↑ -8060	↑ -06A-2 IO			6
↑ -5047	↑ -04APB-2 IO	↑ -9045	↑ -04AGS2-2 IO	↑ -6048	↑ -04AGS-2 IO	↑ -6042	↑ -04AS-2 IO	↑ -8040	↑ -04A-2 IO			4
39-29-5027	5566-02APB-2 IO	39-30-9025	5566-02AGS2-2 IO	39-29-6028	5566-02AGS-2 IO	39-30-6022	5566-02AS-2 IO	39-28-8020	5566-02A-2 IO			2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.			CKT. SIZE
5566-NAPB-2 IO		5566-NAGS2-2 IO		5566-NAGS-2 IO		5566-NAS-2 IO		5566-NA-2 IO				
39-29-5246	5566-24APB	39-30-9244	5566-24AGS2	39-29-6243	5566-24AGS	39-30-6241	5566-24AS	39-28-8243	5566-24A			24
↑ -5226	↑ -22APB	↑ -9224	↑ -22AGS2	↑ -6223	↑ -22AGS	↑ -6221	↑ -22AS	↑ -8223	↑ -22A			22
↑ -5206	↑ -20APB	↑ -9204	↑ -20AGS2	↑ -6203	↑ -20AGS	↑ -6201	↑ -20AS	↑ -8203	↑ -20A			20
↑ -5186	↑ -18APB	↑ -9184	↑ -18AGS2	↑ -6183	↑ -18AGS	↑ -6181	↑ -18AS	↑ -8183	↑ -18A			18
↑ -5166	↑ -16APB	↑ -9164	↑ -16AGS2	↑ -6163	↑ -16AGS	↑ -6161	↑ -16AS	↑ -8163	↑ -16A			16
↑ -5146	↑ -14APB	↑ -9144	↑ -14AGS2	↑ -6143	↑ -14AGS	↑ -6141	↑ -14AS	↑ -8143	↑ -14A			14
↑ -5126	↑ -12APB	↑ -9124	↑ -12AGS2	↑ -6123	↑ -12AGS	↑ -6121	↑ -12AS	↑ -8123	↑ -12A			12
↑ -5106	↑ -10APB	↑ -9104	↑ -10AGS2	↑ -6103	↑ -10AGS	↑ -6101	↑ -10AS	↑ -8103	↑ -10A			10
↑ -5086	↑ -08APB	↑ -9084	↑ -08AGS2	↑ -6083	↑ -08AGS	↑ -6081	↑ -08AS	↑ -8083	↑ -08A			8
↑ -5066	↑ -06APB	↑ -9064	↑ -06AGS2	↑ -6063	↑ -06AGS	↑ -6061	↑ -06AS	↑ -8063	↑ -06A			6
↑ -5046	↑ -04APB	↑ -9044	↑ -04AGS2	↑ -6043	↑ -04AGS	↑ -6041	↑ -04AS	↑ -8043	↑ -04A			4
39-29-5026	5566-02APB	39-30-9024	5566-02AGS2	39-29-6023	5566-02AGS	39-30-6021	5566-02AS	39-28-8023	5566-02A			2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.			CKT. SIZE
5566-NAPB		5566-NAGS2		5566-NAGS		5566-NAS		5566-NA				

PARTS WITH OUT DRAIN HOLES

SEE SHEET 1 EC NO: UCP2014-212 2013/11/13 DRAWING/REV CHKD: JELL 2013/11/13 APPR: SMTH 2013/11/13 L7	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± .13 ± .010 1 PLACE ± .25 ± --- ANGULAR ± 3°	DIMENSION STYLE IN/MM DRAWN BY H. HIRAMOTO DATE '89/04/03 CHECKED BY M. FUKUSHIMA DATE '94/04/20 APPROVED BY FSMITH DATE 2012/05/04 MATERIAL NO. DOCUMENT NO.	SCALE 1:1 DESIGN UNITS METRIC THIRD ANGLE PROJECTION	TITLE MINI FIT JR VERTICAL HEADER ASSEMBLIES WITHOUT PEGS MOLEX INCORPORATED SD-5566-002	SHEET NO. 2 OF 5
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS SEE TABLE THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

Electronic components										
39-30-9247	5566-24BGS2-2IO	39-31-0248	5566-24BGS-2IO	39-31-0242	5566-24BS-2IO	39-31-0240	5566-24B-2IO	39-30-6244	5566-24APBS-2IO	24
▲ -9227	▲ -22BGS2-2IO	▲ -0228	▲ -22BGS-2IO	▲ -0222	▲ -22BS-2IO	▲ -0220	▲ -22B-2IO	▲ -6224	▲ -22APBS-2IO	22
-9207	-20BGS2-2IO	-0208	-20BGS-2IO	-0202	-20BS-2IO	-0200	-20B-2IO	-6204	-20APBS-2IO	20
-9187	-18BGS2-2IO	-0188	-18BGS-2IO	-0182	-18BS-2IO	-0180	-18B-2IO	-6184	-18APBS-2IO	18
-9167	-16BGS2-2IO	-0168	-16BGS-2IO	-0162	-16BS-2IO	-0160	-16B-2IO	-6164	-16APBS-2IO	16
-9147	-14BGS2-2IO	-0148	-14BGS-2IO	-0142	-14BS-2IO	-0140	-14B-2IO	-6144	-14APBS-2IO	14
-9127	-12BGS2-2IO	-0128	-12BGS-2IO	-0122	-12BS-2IO	-0120	-12B-2IO	-6124	-12APBS-2IO	12
-9107	-10BGS2-2IO	-0108	-10BGS-2IO	-0102	-10BS-2IO	-0100	-10B-2IO	-6104	-10APBS-2IO	10
-9087	-08BGS2-2IO	-0088	-08BGS-2IO	-0082	-08BS-2IO	-0080	-08B-2IO	-6084	-08APBS-2IO	8
-9067	-06BGS2-2IO	-0068	-06BGS-2IO	-0062	-06BS-2IO	-0060	-06B-2IO	-6064	-06APBS-2IO	6
▼ -9047	▼ -04BGS2-2IO	▼ -0048	▼ -04BGS-2IO	▼ -0042	▼ -04BS-2IO	▼ -0040	▼ -04B-2IO	▼ -6044	▼ -04APBS-2IO	4
39-30-9027	5566-02BGS2-2IO	39-31-0028	5566-02BGS-2IO	39-31-0022	5566-02BS-2IO	39-31-0020	5566-02B-2IO	39-30-6024	5566-02APBS-2IO	2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE
5566-NBGS2-2 IO		5566-NBGS-2IO		5566-NBS-2 IO		5566-NB-2IO		5566-NAPBS-2IO		
39-30-9246	5566-24BGS2-2IO	39-31-0247	5566-24BGS	39-31-0241	5566-24BS	39-29-3246	5566-24B	39-30-6243	5566-24APBS	24
▲ -9226	▲ -22BGS2	▲ -0227	▲ -22BGS	▲ -0221	▲ -22BS	▲ -3226	▲ -22B	▲ -6223	▲ -22APBS	22
-9206	-20BGS2	-0207	-20BGS	-0201	-20BS	-3206	-20B	-6203	-20APBS	20
-9186	-18BGS2	-0187	-18BGS	-0181	-18BS	-3186	-18B	-6183	-18APBS	18
-9166	-16BGS2		-16BGS	-0161	-16BS	-3166	-16B	-6163	-16APBS	16
-9146	-14BGS2	-0147	-14BGS	-0141	-14BS	-3146	-14B	-6143	-14APBS	14
-9126	-12BGS2	-0127	-12BGS	-0121	-12BS	-3126	-12B	-6123	-12APBS	12
-9106	-10BGS2	-0107	-10BGS	-0101	-10BS	-3106	-10B	-6103	-10APBS	10
-9086	-08BGS2	-0087	-08BGS	-0081	-08BS	-3086	-08B	-6083	-08APBS	8
-9066	-06BGS2	-0067	-06BGS	-0061	-06BS	-3066	-06B	-6063	-06APBS	6
▼ -9046	▼ -04BGS2	▼ -0047	▼ -04BGS	▼ -0041	▼ -04BS	▼ -3046	▼ -04B	▼ -6043	▼ -04APBS	4
39-30-9026	5566-02BGS2	39-31-0027	5566-02BGS	39-31-0021	5566-02BS	39-29-3026	5566-02B	39-30-6023	5566-02APBS	2
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE
5566-NBGS2		5566-NBGS		5566-NBS		5566-NB		5566-NAPBS		
39-31-0245	5566-24BPBS	39-31-0243	5566-24BPB	39-31-0246	5566-24BPBS-2IO	39-31-0244	5566-24BPB-2IO	24		
▲ -0225	▲ -22BPBS	▲ -0223	▲ -22BPB	▲ -0226	▲ -22BPBS-2IO	▲ -0224	▲ -22BPB-2IO	22		
-0205	-20BPBS	-0203	-20BPB	-0206	-20BPBS-2IO	-0204	-20BPB-2IO	20		
-0185	-18BPBS	-0183	-18BPB	-0186	-18BPBS-2IO	-0184	-18BPB-2IO	18		
-0165	-16BPBS	-0163	-16BPB	-0166	-16BPBS-2IO	-0164	-16BPB-2IO	16		
-0145	-14BPBS	-0143	-14BPB	-0146	-14BPBS-2IO	-0144	-14BPB-2IO	14		
-0125	-12BPBS	-0123	-12BPB	-0126	-12BPBS-2IO	-0124	-12BPB-2IO	12		
-0105	-10BPBS	-0103	-10BPB	-0106	-10BPBS-2IO	-0104	-10BPB-2IO	10		
-0085	-08BPBS	-0083	-08BPB	-0086	-08BPBS-2IO	-0084	-08BPB-2IO	8		
-0065	-06BPBS	-0063	-06BPB	-0066	-06BPBS-2IO	-0064	-06BPB-2IO	6		
▼ -0045	▼ -04BPBS	▼ -0043	▼ -04BPB	▼ -0046	▼ -04BPBS-2IO	▼ -0044	▼ -04BPB-2IO	4		
39-31-0025	5566-02BPBS	39-31-0023	5566-02BPB	39-31-0026	5566-02BPBS-2IO	39-31-0024	5566-02BPB-2IO	2		
EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO	EDP NO.	ENG. NO.	CKT. SIZE
5566-NBPBS		5566-NBPB		5566-NBPBS-2 IO		5566-NBPB-2 IO				

PARTS WITH DRAIN HOLES

SEE SHEET 1 EC NO: UC20204-212 DRAWINGVEN CHKD:JELL APPR:SMITH 1	2013/11/13 2013/11/13 2013/11/27	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
	▽=0 ▽=0 ▽=0	DESCRIPTION	4 PLACES ± .005	± .005	H.HIRAMOTO	DATE '89/04/03	TITLE MINI FIT JR VERTICAL HEADER ASSEMBLIES WITHOUT PEGS		
			3 PLACES ± .010	± .005	CHECKED BY	DATE			
			2 PLACES ± .13	± .010	M.FUKUSHIMA	'94/04/20			
			1 PLACE ± .25	± .010	APPROVED BY	DATE			
			ANGULAR ± 3°		FSMITH	2012/05/04			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.		MOLEX MOLEX INCORPORATED			
			SEE TABLE	SD-5566-002					
			SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

PARTS WITHOUT DRAIN HOLES

tb_frame_C_P_AM_T
Rev. F 2009/06/18

[TRAY PACKED PART NUMBERS]

PARTS WITHOUT DRAIN HOLES					39-53-9249	5566-24A-210-TA	39-53-9248	5566-24A-TA	24						
						↑ -22A-210-TA	↑ -9228	↑ -22A-TA	22						
						↑ -20A-210-TA	↑ -9208	↑ -20A-TA	20						
			39-34-1180	5566-18A-210-TR		↑ -18A-210-TA	↑ -9188	↑ -18A-TA	18						
						↑ -16A-210-TA	↑ -9168	↑ -16A-TA	16						
						↑ -14A-210-TA	↑ -9148	↑ -14A-TA	14						
						↑ -12A-210-TA	↑ -9128	↑ -12A-TA	12						
						↑ -10A-210-TA	↑ -9108	↑ -10A-TA	10						
						↑ -08A-210-TA	↑ -9088	↑ -08A-TA	8						
	46999-0630	5566-06AGS2-BL-TA				↑ -06A-210-TA	↑ -9068	↑ -06A-TA	6						
46999-0629	5566-04AGS2-BL-TA				↑ -04A-210-TA	↑ -9048	↑ -04A-TA	4							
					5566-02A-210-TA	39-53-9028	5566-02A-TA	2							
EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	EDP NO.	ENG. NO.	CKT. SIZE							
5566-NA6S2-BL-TA		5566-NA-210-TR		5566-NA-210-TA		5566-NA-TA									
SEE SHEET 1 EC NO: UCP204-212 DRAWING NO: 2013/11/13 CHKD: JELL 2013/11/13 APPR: SMITH 2013/11/27	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	SHEET NO. 5 OF 5					
						4 PLACES ± --- ± ---			DRAWN BY H. HIRAMOTO		DATE '89/04/03		MINI FIT JR VERTICAL HEADER ASSEMBLIES WITHOUT PEGS MOLEX INCORPORATED		
						3 PLACES ± --- ± .005			CHECKED BY M. FUKUSHIMA		DATE '94/04/20				
						2 PLACES ± .13 ± .010			APPROVED BY F. SMITH		DATE 2012/05/04				
						1 PLACE ± .25 ± ---			MATERIAL NO.		DOCUMENT NO.				
						ANGULAR ± 3 °			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-5566-002				