

Excellent Integrated System Limited


Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[Molex Connector Corporation](#)
[0367570024](#)

For any questions, you can email us directly:

sales@integrated-circuit.com




SEE CHARTS FOR "A" DIMENSION

(THE "A" DIMENSION APPLIES TO THE LENGTH OF THE TERMINAL ONLY)


P.C. BOARD MOUNTING DIMENSIONS

2, 3, & 4 POSITION HEADER ASSEMBLIES



FOR THE POLARIZING PEG

6, 9, 12 & 15 POSITION HEADER ASSEMBLIES



FOR THE POLARIZING PEG

NOTES:

- MATERIAL: NYLON PA6, UL94 V-2, COLOUR: NATURAL(WHITE)
GLOW WIRE COMPATIBLE WITH CTI OF 325V
- TERMINAL PLATING: ES-88-P921
140 Min(3.5µ) MIN 240 Min(6µ) MAX OVERALL TIN HOT-DIPPED
- TERMINAL FOR .062/(1.57) THICK PC BOARD
- DIMENSIONS ARE FOR REFERENCE ONLY UNLESS INDICATED OTHERWISE
- HEADER ASSEMBLY HOUSING MATE WITH:
PLUG HOUSINGS .084/(2.13)DIA, SERIES 36643
- CONTACTS ARE ON .250/(6.35) GRID CENTERLINE SPACING
- REFER PACKAGING SPECIFICATION
- PK-43255-001 FOR 2.3 & 4 CIRCUIT
- PK-43255-003 FOR 6,9,12 & 15 CIRCUIT

RoHS COMPLIANT

INITIAL RELEASE EC NO: 2016-0100 DRAWING NO: 2016/04/18 CHKD: DRWINSS306 APPR: ISHWARG REV: A	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		
		mm INCH		DRAWN BY SS06	DATE 2016/04/18	TITLE MLX HEADER ASSEMBLY .084/(2.13) DIA, SERIES COMPLIANT-POLARIZING PEG				
		4 PLACES ± --- ±.0002 3 PLACES ± 0.005 ±.005 2 PLACES ± 0.13 ±.01 1 PLACE ± 0.25 ± --- 0 PLACE ± --- ± ---		CHECKED BY ISHWARG		DATE 2016/05/09				
		ANGULAR ±1/2°		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-36757-0001			SHEET NO. 1 OF 2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

7	6	5	4	3	2	1
---	---	---	---	---	---	---

CIRCUIT SIZE	PART NUMBER	PIN(1) OR SOCKET(2) TERMINALS	*A* DIM ±0.15
2	36757-0021	1	0.17/(4.3)
	36757-0061	2	
3	36757-0022	1	
	36757-0062	2	
4	36757-0023	1	
	36757-0063	2	
6	36757-0024	1	
	36757-0064	2	
9	36757-0025	1	
	36757-0065	2	
12	36757-0026	1	
	36757-0066	2	
15	36757-0027	1	
	36757-0067	2	

RoHS COMPLIANT

INITIAL RELEASE EC NO: 12016-0100 DRWN:SS06 CHKD: APPR: ISHWARG 2016/04/18 2016/05/09 DESCRIPTION REV A	QUALITY SYMBOLS $\nabla=0$ $\nabla=0$ $\nabla=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
			mm	INCH	DRAWN BY SS06	DATE 2016/04/18	TITLE MLX HEADER ASSEMBLY .084/(2.13) DIA. SERIES COMPLIANT-POLARIZING PEG		
		4 PLACES	± ---	±.0002	CHECKED BY	DATE			
		3 PLACES	± 0.005	±.005	APPROVED BY ISHWARG	DATE 2016/05/09			
2 PLACES	± 0.13	±.01	MATERIAL NO.		DOCUMENT NO.	SHEET NO. 2 OF 2			
1 PLACE	± 0.25	± ---	SEE CHART		SD-36757-0001				
0 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

6	5	4	3	2	1
---	---	---	---	---	---