

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)


[85995-103LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

LEAD-FREE P/N
85995-X03LF

PLATING CODE X	PLATING CONTACT AREA
1	1.3 μm Au MIN



NOTES:

1. UNDERPLATING Ni.
2. DIM. ACC. DIN 41626.
3. THIS PRODUCT WITH "LF" SUFFIX MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
4. THE PRODUCT WILL WITHSTAND EXPOSURE TO 260 DEGREE PEAK TEMPERATURE TO 30 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6 mm MINIMUM THICK PCB
5. PACKAGING SPEC: SEE GS-14-920

European Views

www.fciconnect.com		surface ISO 1302	tolerance std ISO 406 ISO 1101	projection	mm
		TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	GOISNARD	2006/03/06	ANGULAR	size	Scale
Eng	GOISNARD	2006/03/06	LINEAR	A3	10
Chr	LEGARE	2006/03/06	0.XX ±0.1	ECN	LS08-0057
Appr	LEGARE	2006/03/06	0.XXX ±0.1	Product family	METRAL
rev	ecn no	dr	date	Product family	METRAL
E	LS06-0022	L60	2006/03/06	Product family	METRAL
F	LS07-0214	L60	2007/08/21	Product family	METRAL
G	LS08-0057	L60	2008/02/18	Product family	METRAL
-	-	-	-	Product family	METRAL
-	-	-	-	Product family	METRAL
-	-	-	-	Product family	METRAL
-	-	-	-	Product family	METRAL
				POWER INSERT	Rev.
				RECEPTACLE RA STB	6
				catalog no	85995
				CUSTOMER	sheet 1 of 2

REV F - 2008-04-17

1

2

PDM: Rev:G

STATUS: Released

Printed: Oct 01, 2010

Copyright FCI. FCI

