

## Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106124-4006001LF](#)

For any questions, you can email us directly:

[sales@integrated-circuit.com](mailto:sales@integrated-circuit.com)

PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	20120611	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	20121115			ecn no	ELX-00-018143-1	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Shao-Qi Kuang	20121115						
surface	linear	0.X	±0.5		<b>FCI</b> title 2HP + 24S + 2HP RA STB HEADER cat. no.	eng no 10106124-4006001	rev B	Product - Customer Drw		sheet 1 of 3
	0.XX	±0.25								
	0.XXX	±0.10								
	angular	0°	±2°							

Prod File - REV C - 2010-04-20

1



2

3

PDS: Rev B

STATUS: Released

Printed: Nov 16, 2012




CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)



dr	Peng-Bing Fu	20120011	projection	MM	size	A3	scale	3:2	
eng	Peng-Bing Fu	20121115			ecn no	ELX-00-01843-1	rel level	Released	
chr	Shao-Qi Kuang	20121115							
appr	Pai-Ming Zhang	20121115	product family	PwrBlade+					
			title	2HP + 24S + 2HP		eng no	10106124-4006001	rev	B
www.fci.com			cat. no.	Product - Customer Drw		sheet 2 of 3			



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

dr	Peng-Bing Fu	20120611	projection	MM	size	A3	scale	3:2	
eng	Peng-Bing Fu	20121115		← PwrBlade+ →	ecn no	ELX-00-018143-1			
chr	Shao-Qi Kuang	20121115			rel level	Released			
appr	Pai-Ming Zhang	20121115	product family	PwrBlade+					
		title			2HP + 24S + 2HP		eng no		rev
www.fci.com		RA STB HEADER			10106124-4006001		B		
cat. no.		Product - Customer Drw			sheet 3 of 3				



Copyright FCI.