

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106124-8008001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	20140521	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Rainbow Zhan	20140516		ecn no	-	rel level	Released
surface	linear	0.X ±0.5	chr	Li-Hu	20140509		product family	PwrBlade+	rev	A
	angular	0° ±2°	appr	Pai-Ming Zhang	20140516		cat. no.	10106124-8008001	Product - Customer Drw	sheet 1 of 3

Print Date - REV C - 2009-04-29

1

2


3

PDS: Rev A

STATUS: Released

Printed: Jul 10, 2014

PRODUCT NO.	ROWS	HIGH POWER								SIGNAL									
		E1	P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	5	6	7	8	E2
10106124-8008001LF	D C B A	H1	H1	H1	H1	H1	H1	H1	H1	U	U	U	U	U	U	U	U	U	U



CODE	DESCRIPTION
G	MLBF SIGNAL CONTACT, ROW C (3.43)
HI	STD HIGH POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhan	20140921	projection	MM	size	A3	scale	3:2	
eng	Rainbow Zhan	20140916			ecn no	-	rel level	Released	
chr	Li-Hu	20140916							
appr	Pai-Ming Zhang	20140916	product family	PwrBlade+					
			title	8HP + 32S RA STB HEADER		eng no	10106124-8008001	rev	A
www.fci.com			cat. no.	Product - Customer Drw			sheet 2 of 3		



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762 MM MIN Sn
OVER $0.0254 - 0.0762$ MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Rainbow Zhan	20140921	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	20140916			ecn no	-	rel level	
chr	Li-Hu	20140916			Product family	PwrBlade+	rel level	
appr	Pai-Ming Zhang	20140916			rel level		Released	
		title 8HP + 32S RA STB HEADER			eng no	10106124-8008001		rev
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3		A	



Copyright | FCI.