

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106134-6006001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	-	dr	Peng-Bing Fu	20120522	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	20121014			ecn no	ELX-00-01844-1	rel	Chen	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Tian-Xu Huang	20121115							
		appr	Pai-Ming Zhang	20121115							
surface	linear	0.X	±0.5		title 6HDP + 24S RA SOLDER RECEPTACLE	cat. no. www.fci.com	product family PwrBlade+	eng no 10106134-6006001	rev B	Product - Customer Draw	sheet 1 of 3
	linear	0.XX	±0.25								
	linear	0.XXX	±0.10								
	angular	0°	±2°								

Prod File - REV C - 2009-04-20

1

2

3


PDS: Rev B

STATUS: Released

Printed: Nov 16, 2012

PRODUCT NO.	ROWS	SIGNAL						HIGH POWER					
		E1	6	5	4	3	2	1	P6	P5	P4	P3	P2
10106134-6006001LF	D C B A												

CODE	DESCRIPTION
E	STD SIGNAL CONTACT, ROW A
F	STD SIGNAL CONTACT, ROW B
G	STD SIGNAL CONTACT, ROW C
H	STD SIGNAL CONTACT, ROW D
H3	STD HIGH POWER CONTACT(3.43)






spec ref	-	dr	Peng-Bing Fu	20120922	projection	MM	size	A3	scale	3:2														
tolerance std	ASME Y14.5	eng	Peng-Bing Fu	20121016			ecn no	ELX-00-01944-1	rel	Ghan	Released													
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Tian-Xu Huang	20121115																				
		appr	Pai-Ming Zhang	20121115																				
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°		6HDP + 24S RA SOLDER RECEPTACLE	cat. no.	title	www.fci.com	product family	PwrBlade+	eng no	10106134-6006001	rev	B
linear	0.X	±0.5																						
	0.XX	±0.25																						
	0.XXX	±0.10																						
angular	0°	±2°																						
Product - Customer Draw											sheet 2 of 3													



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.
- 10) A  SYMBOL WILL BE NEXT TO ANY DIMENSION,VIEW,OR NOTE WHICH
HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

spec ref			dr	Peng-Bing Fu	20120522	projection	MM	size	A3	scale	3:2	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Peng-Bing Fu	20121016		← PwrBlade+ →	ecn no	EIS-00-01844-1			
ASME Y14.5			chr	Tian-Xu Huang	20121115			product family	PwrBlade+	rel	Chan	Released
			appr	Pai-Ming Zhang	20121115							
surface	linear	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10			title	6HDP + 24S RA SOLDER RECEPTACLE		eng no	10106134-6006001		rev	B
ASME Y14.5	angular	0° ±2°	www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3				