

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[FCI](#)
[10106262-0004001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhao	20150907	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhao	20150904	chr	-	ecm no	-	rel level	Released
		appr	Pai-Ming Zheng	20150914	product family	PwrBlade+				
surface	linear	0.X	±0.5		16S RA STB HEADER		dwg no 10106262-0004001	rev A	Product - Customer Drw sheet 1 of 3	
		0.XX	±0.25							
		0.XXX	±0.10							
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.					

Prod File - REV C - 2010-04-09

1

2


3

PDS: Rev :A

STATUS:Released

Printed: Jan 19, 2015

PRODUCT NO.	ROWS	SIGNAL				
		E1	1	2	3	E2
10106262-0004001LF	D C B A					



CODE	DESCRIPTION
H	MLBF SIGNAL CONTACT, ROW D (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Rainbow Zhao	20150907	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhao	20150904			ecm no			
chr					rel level			
appr	Pai-Ming Zheng	20150914	product family	PwrBlade+				
					16S	10106262-0004001	rev	A
www.fci.com					cat. no.	Product - Customer Drw	sheet 2 of 3	

Prod File - REV C - 2010-04-09

1

2

3

PDS: Rev :A

STATUS:Released

Printed: Jan 19, 2015



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Rainbow Zhao	20150907		MM	size	A3	scale	3:2
eng	Rainbow Zhao	20150914			ecn no	-		
chr	-	-						
appr	Pai-Ming Zheng	20150914	product family	PwrBlade+	rel level	Released		
			title	16S	dwg no	10106262-0004001	rev	A
			RA STB HEADER					
www.fci.com			col. no.	Product - Customer Drw			sheet 3 of 3	