

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106262-A003001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	2013/08/14	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Xia Bob	2013/08/12			ecn no			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-Hu	2013/08/12			product family	PwrBlade+	rel level	Released
surface	linear	appr	Pai-Ming Zhang	2013/08/12					title	4ACP + 12S + 6HP
	angular	0°	±2°	www.fci.com	cat. no.		Product - Customer Drw	10106262-A003001	sheet 1 of 3	

Print Date - REV C - 2010-04-10

1

2

3

PDS: Rev -A


STATUS:Released

Printed: Aug 12, 2013



Copyright FCI.

PRODUCT NO.	ROWS	HIGH POWER SIGNAL										HIGH POWER				
		E1	P1	P2	P3	P4	1	2	3	P5	P6	P7	P8	P9	P10	E2
10106262-A003001LF	D C B A	H1	H1	H1	H1	R	S	T	H1	H1	H1	H1	H1	H1	H1	H1







CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2013/08/14	projection	MM	size	A3	scale	3:2
eng	Xia Bob	2013/08/12			ecn no			
chr	Li-Hu	2013/08/12						
appr	Pai-Ming Zhang	2013/08/12	product family	PwrBlade+	rel level	Released		
			title	4ACP + 12S + 6HP RA STB HEADER	eng no	10106262-A003001	rev	A
www.fci.com			cat. no.	Product - Customer Drw		sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr	Peng-Bing Fu	201308014	projection	MM	size	A3	scale	3:2
eng	Xia Bob	201308012			ecn no	-	rel level	
chr	Li-Hu	201308012			product family	PwrBlade+	Released	
appr	Pai-Ming Zhang	201308012			title	4ACP + 12S + 6HP		eng no
www.fci.com					RA STB HEADER	10106262-A003001	rev	A
cat. no.			3		Product - Customer Drw		sheet 3 of 3	



Copyright FCI.