

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:





[FCI](#)

[10106263-2003001LF](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

PART NUMBER 10106263-2003001LF



Copyright FCI.

spec ref	*	dr	Bob Xie	2015/06/27	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Zhen-Hua Liu	2015/10/14			ecn no	ELX-00-22145-1	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/10/16						
surface	linear	0.X	±0.5		title IHP + 12S + IHP RA PF HEADER	www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3	rev B
		0.XX	±0.25							dwg no 10106263-2003001
	angular	0°	±2°							

PwrBlade - REV C - 2009-04-09

2


3

PDS: Rev :B

STATUS:Released

Printed: Oct 19, 2015

PRODUCT NO.	ROWS	POWER		SIG			POWER	
		E1	P1	1	2	3	P2	E2
10106263-2003001LF	D C B A	HE	LA	SA	SB	SC	SD	HE






CODE	DESCRIPTION
HE	STD HIGH POWER CONTACT
LA	LMFB SIGNAL CONTACT, ROW A
SA	STD SIGNAL CONTACT, ROW A
SB	STD SIGNAL CONTACT, ROW B
SC	STD SIGNAL CONTACT, ROW C
SD	STD SIGNAL CONTACT, ROW D

dr	Bob Xie	2015/06/27	projection	MM	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/10/14		PwrBlade+	ecn no	ELX-00-22145-1		
chr	Fancy Zhang	2015/10/16			rel level	Released		
appr	Pai-Ming Zhang	2015/10/16	product family		PwrBlade+			
			title IHP + 12S + IHP RA PF HEADER		dwg no 10106263-2003001		rev B	
www.fci.com			cat. no.		Product - Customer Drw		sheet 2 of 3	

Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

dr	Bob Xie	20150627	projection	MM	size	A3	scale	3:2
eng	Zhen-Hua Liu	20151014			ecn no	ELX-00-22145-1		
chr	Fancy Zhang	20151016			rel level	Released		
appr	Pai-Ming Zhang	20151016	product family	PwrBlade+				
		title IHP + 12S + IHP RA PF HEADER		dwg no 10106263-2003001	rev B			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			



Copyright FCI.