

Excellent Integrated System Limited

Stocking Distributor

Click to view price, real time Inventory, Delivery & Lifecycle Information:


[Molex Connector Corporation](#)
[0479504011](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

Molex				Customer: Bostom			DRAWING LOCATION	CHANGE DESCRIPTION	AFFECTED DEPT
DRAWING NO.	REV.	ECN NO.	DATE	P/N	P/N.	3D REV	2D REV		
SD-47950-411	A	ABU2014-0051	2014/02/21	479504011	-	-	-	ALL	Simply assy dims for SD drawings
SD-47950-411	B	ABU2016-0025	2015/09/10	479504011					Add Connector information, change PSA material from 3M966 to 3M9077

NOTE:
 1. Material: Flex 35.9mm * 16mm
 Thickness:
 PSA: 3M9099
 Pl: 50um
 Base Copper: 18-20um
 2. Cover coat: black.



ENTER DESCRIPTION EC NO: ABU2016-0025 DRAWN ZLRAO 2015/09/10 CHKD: JACK SHI 2015/09/10 APPR: CHRIS YU 2015/09/10	QUALITY SYMBOLS $\nabla=0$ $\nabla=0$ $\nabla=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
		mm	INCH	DRAWN BY	DATE	TITLE		
		4 PLACES ±	±	ZLRAO	2015/09/10	2.4/5GHz stand alone 16mm Ant		
		3 PLACES ±	±	CHECKED BY	DATE			
2 PLACES ±	±	Jack Shi	2015/09/10					
1 PLACE ±	±	APPROVED BY	DATE					
ANGULAR ± °		Chris Yu	2015/09/10					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	see the table of sheet 2		DOCUMENT NO.	SD-47950-411	SHEET NO.	1 OF 2
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

8 7 6 5 4 3 2 1

F F

E E


D D

C C

B B

A A

9 8 7 6 5 4 3 2 1



NOTE:
 1.The dimesndion with tolerance in box should be controled by flex supplier and tolerance of other dimension:±0.3MM.
 2.The cable line can not be rotated with the weld point for more than 60 degrees.
 3. For pull test, can not lift up in the vertical direction

ITEM	CABLE TYPE	THE LENGHT OF DIMENSION "L"
1	CABLE1(300mm)	290.88MM

ITEM	PART NAME	PN
1	CABLE1 for 2,4/5GHz stand alone (300mm)	479500008
2	FLEX1 for 2,4/5GHz stand 16mm	479500012
3	2,4/5GHz stand alone 16mm assy(CABLE300MM)	479504011

ENTER DESCRIPTION EC NO:AB12016-0025 DRAWN:ZLRAO 2015/09/10 CHKD:Jack Shi 2015/09/10 APPR:Chris Yu 2015/09/10	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
		mm	INCH	DRAWN BY DATE		5:1	MM		
		4 PLACES ±	±	ZLRAO	2015/09/10	TITLE			
		3 PLACES ±	±	2,4/5GHz stand alone 16mm Ant					
2 PLACES ±	±	CHECKED BY DATE		MOLEX INCORPORATED DOCUMENT NO. SD-47950-411					
1 PLACE ±	±	Jack Shi	2015/09/10						
ANGULAR ± °		APPROVED BY DATE		MATERIAL NO.		SHEET NO.			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		Chris Yu 2015/09/10		SEE TABLE		2 OF 2			
				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					