

Excellent Integrated System Limited

Stocking Distributor





Click to view price, real time Inventory, Delivery & Lifecycle Information:

[ASSMANN WSW Components](#)
[A-CCS32-Z-SM-R](#)

For any questions, you can email us directly:

sales@integrated-circuit.com

RoHS Compliant

<p>Notes:</p> <p>Insulator PPS, UL 94V-0</p> <p>Contacts Phosphor Bronze Matte Tin Plated 150U" over Nickel</p> <p>Current Rating 1A</p> <p>Insulating Resistance 10000M ohm Min.</p> <p>Withstanding Voltage 1000V AC</p> <p>Contact Resistance 15m ohm Max.</p> <p>Operating Temperature -40 Degree to +105 Degree</p> <p>A-CCSxx-x-xxx-R └┬┬┬ 1 2 3</p> <p>1. No. of Contacts 20/28/32/44/52/68/84</p> <p>2. Finish z - Tin G - Gold</p> <p>3. Version SM : without polarizing peg, tube packing</p>	   																																																																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Description</th> </tr> <tr> <td style="width: 50%;">Name: A-CCSxx-x-xxx-R Chip-carrier-sockets, SMD</td> <td style="width: 50%;">Approval: Check.: Ahmaa Feb.23,06 Draw.: Alex Feb.23,06</td> </tr> <tr> <td rowspan="3" style="text-align: center; vertical-align: middle;">ASSMANN Electronic Components</td> <td>Rev.: 01</td> </tr> <tr> <td>Unit: mm</td> </tr> <tr> <td>Sheet: 1/1</td> </tr> </table>	Description		Name: A-CCSxx-x-xxx-R Chip-carrier-sockets, SMD	Approval: Check.: Ahmaa Feb.23,06 Draw.: Alex Feb.23,06	ASSMANN Electronic Components	Rev.: 01	Unit: mm	Sheet: 1/1	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">No. of Contacts</th> <th rowspan="2">Quantity in tube</th> <th colspan="6">Dimension</th> </tr> <tr> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr><td>20</td><td>39</td><td>15,34</td><td>15,34</td><td>5,08</td><td>5,08</td><td>10,03</td><td>10,03</td></tr> <tr><td>28</td><td>33</td><td>17,85</td><td>17,85</td><td>7,62</td><td>7,62</td><td>12,57</td><td>12,57</td></tr> <tr><td>32</td><td>29</td><td>17,85</td><td>20,42</td><td>7,62</td><td>10,16</td><td>12,57</td><td>15,11</td></tr> <tr><td>44</td><td>26</td><td>23,07</td><td>23,07</td><td>12,70</td><td>12,70</td><td>17,65</td><td>17,65</td></tr> <tr><td>52</td><td>23</td><td>25,50</td><td>25,50</td><td>15,24</td><td>15,24</td><td>20,19</td><td>20,19</td></tr> <tr><td>68</td><td>19</td><td>31,00</td><td>31,00</td><td>20,32</td><td>20,32</td><td>25,27</td><td>25,27</td></tr> <tr><td>84</td><td>16</td><td>36,10</td><td>36,10</td><td>25,40</td><td>25,40</td><td>30,35</td><td>30,35</td></tr> </tbody> </table>	No. of Contacts	Quantity in tube	Dimension						A	B	C	D	E	F	20	39	15,34	15,34	5,08	5,08	10,03	10,03	28	33	17,85	17,85	7,62	7,62	12,57	12,57	32	29	17,85	20,42	7,62	10,16	12,57	15,11	44	26	23,07	23,07	12,70	12,70	17,65	17,65	52	23	25,50	25,50	15,24	15,24	20,19	20,19	68	19	31,00	31,00	20,32	20,32	25,27	25,27	84	16	36,10	36,10	25,40	25,40	30,35	30,35
Description																																																																															
Name: A-CCSxx-x-xxx-R Chip-carrier-sockets, SMD	Approval: Check.: Ahmaa Feb.23,06 Draw.: Alex Feb.23,06																																																																														
ASSMANN Electronic Components	Rev.: 01																																																																														
	Unit: mm																																																																														
	Sheet: 1/1																																																																														
No. of Contacts	Quantity in tube	Dimension																																																																													
		A	B	C	D	E	F																																																																								
20	39	15,34	15,34	5,08	5,08	10,03	10,03																																																																								
28	33	17,85	17,85	7,62	7,62	12,57	12,57																																																																								
32	29	17,85	20,42	7,62	10,16	12,57	15,11																																																																								
44	26	23,07	23,07	12,70	12,70	17,65	17,65																																																																								
52	23	25,50	25,50	15,24	15,24	20,19	20,19																																																																								
68	19	31,00	31,00	20,32	20,32	25,27	25,27																																																																								
84	16	36,10	36,10	25,40	25,40	30,35	30,35																																																																								